

US00D507392S

(12) **United States Design Patent**
Sieber

(10) **Patent No.:** **US D507,392 S**
(45) **Date of Patent:** **** Jul. 19, 2005**

(54) **TROUSER BOTTOM**

(75) **Inventor:** **Stephen C. Sieber**, Burtonsville, MD (US)

(73) **Assignee:** **Westmark International, Inc.**, Baltimore, MD (US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/157,610**

(22) **Filed:** **Mar. 25, 2002**

(51) **LOC (8) Cl.** **02-02**

(52) **U.S. Cl.** **D2/742**

(58) **Field of Search** D2/742, 823; 2/227, 2/232, 74, 92, 88, 244, 207; 139/396

(56) **References Cited**

U.S. PATENT DOCUMENTS

143,792 A	10/1873	Taylor	
620,435 A	2/1899	Fisher	
890,792 A	6/1908	Peine	
1,861,704 A	6/1932	Manke	
2,742,647 A	4/1956	Khalil	
4,004,297 A	1/1977	Polack	
D269,135 S	5/1983	Langmyr	
D273,434 S	4/1984	Galbreath	
4,669,130 A	6/1987	Brown	
D317,074 S	5/1991	Beasley	
5,144,697 A	9/1992	Sandbeck	
D343,718 S	2/1994	Laster	
5,794,268 A	8/1998	Pessey	
D402,086 S	12/1998	Rowe	
D423,191 S	* 4/2000	McCormick D2/742
D437,102 S	2/2001	Korff	
D440,028 S	4/2001	Korff	
6,243,879 B1	6/2001	Lyden	

* cited by examiner

Primary Examiner—Doris Clark

(74) *Attorney, Agent, or Firm*—Liniak, Berenato & White

(57) **CLAIM**

The ornamental design for a trouser bottom, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a trouser bottom showing my design;
 FIG. 2 is a front view of the trouser bottom illustrated in FIG. 1 showing my design;
 FIG. 3 is a back view thereof;
 FIG. 4 is a left side view thereof;
 FIG. 5 is a right side view thereof;
 FIG. 6 is a front view of a second embodiment of a trouser bottom showing my design;
 FIG. 7 is a back view thereof;
 FIG. 8 is a left side view thereof;
 FIG. 9 is a right side view thereof;
 FIG. 10 is a front view of a third embodiment of a trouser bottom showing my design;
 FIG. 11 is a back view thereof;
 FIG. 12 is a left side view thereof;
 FIG. 13 is a right side view thereof;
 FIG. 14 is a front view of a fourth embodiment of a trouser bottom showing my design;
 FIG. 15 is a back view thereof;
 FIG. 16 is a left side view thereof;
 FIG. 17 is a right side view thereof;
 FIG. 18 is a front view of a fifth embodiment of a trouser bottom showing my design;
 FIG. 19 is a back view thereof;
 FIG. 20 is a left side view thereof;
 FIG. 21 is a right side view thereof;
 FIG. 22 is a front view of a sixth embodiment of a trouser bottom showing my design;
 FIG. 23 is a back view thereof;
 FIG. 24 is a left side view thereof;
 FIG. 25 is a right side view thereof;
 FIG. 26 is a front view of a seventh embodiment of a trouser bottom showing my design;
 FIG. 27 is a back view thereof;
 FIG. 28 is a left side view thereof;
 FIG. 29 is a right side view thereof;




FIG. 30 is a left side view of an eighth embodiment to my design illustrated in FIGS. 2-5;
FIG. 31 is a left side view of a ninth embodiment to my design illustrated in FIGS. 2-5;
FIG. 32 is a left side view of a tenth embodiment to my design illustrated in FIGS. 2-5;
FIG. 33 is a front view of an eleventh embodiment of a trouser bottom showing my design;
FIG. 34 is a back view thereof;
FIG. 35 is a left side view thereof;
FIG. 36 is a right side view thereof;
FIG. 37 is a right side view of the embodiment illustrated in FIGS. 6-9;
FIG. 38 is a front view of the embodiment illustrated in FIGS. 6-9;
FIG. 39 is a right side view of the embodiment illustrated in FIGS. 2-5;
FIG. 40 is a front view of the embodiment illustrated in FIGS. 2-5;
FIG. 41 is a right side view of the embodiment illustrated in FIGS. 10-13;
FIG. 42 is a front view of the embodiment illustrated in FIGS. 10-13;

FIG. 43 is a right side view of the embodiment illustrated in FIGS. 14-17;
FIG. 44 is a front view of the embodiment illustrated in FIGS. 14-17;
FIG. 45 is a right side view of the embodiment illustrated in FIGS. 33-36;
FIG. 46 is a front view of the embodiment illustrated in FIGS. 33-36;
FIG. 47 is a front view of a twelfth embodiment of a trouser bottom showing my design;
FIG. 48 is a back view thereof;
FIG. 49 is a left side view thereof;
FIG. 50 is a right side view thereof;
FIG. 51 is a side view of the embodiment illustrated in FIGS. 47-50; and,
FIG. 52 is a front view of the embodiment illustrated in FIGS. 47-50.
The broken line depiction of a trouser in FIG. 1 and the broken line showing of the shoe in FIGS. 37-46 and FIGS. 51-52 are for illustrative purposes only and form no part of the claimed design.

1 Claim, 14 Drawing Sheets

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27




Fig. 28




Fig. 29




Fig. 30




Fig. 31




Fig. 32




Fig. 33




Fig. 34




Fig. 35




Fig. 36




Fig. 37




Fig. 38




Fig. 39




Fig. 40




Fig. 41




Fig. 42




Fig. 43




Fig. 44




Fig. 45




Fig. 46




Fig. 47




Fig. 48




Fig. 49




Fig. 50




Fig. 51




Fig. 52

