

US00D507510S

(12) United States Design Patent (10) Patent No.:

US D507,510 S (45) Date of Patent: Jul. 19, 2005 Larson

SURFACE CONFIGURATION OF A (54)VEHICLE, TOY AND/OR OTHER REPLICAS

Inventor: **Grant Larson**, Ludwigsburg (DE)

Assignee: Dr. Ing. h.c.F. Porsche

Aktiengesellschaft, Stuttgart (DE)

14 Years Term:

Appl. No.: 29/210,444

Aug. 2, 2004 (22)Filed:

(30)Foreign Application Priority Data

Fe	eb. 3, 2004	(DE)	• • • • • • • • • • • • • • • • • • • •	40400560
(51)	LOC (8)	Cl	•••••	12-08
(52)	U.S. Cl.		• • • • • • • • • • • • • • • • • • • •	D12/92
(58)	Field of	Search .	D12/9	0–92, 86,
` ′			D12/88; D21/424, 433	; 296/185

(56)**References Cited**

U.S. PATENT DOCUMENTS

D401,890 S	S	12/1998	Larson et al D1	12/91
D417,414	S *	12/1999	Mobius et al D1	12/92
D436,061	S *	1/2001	Mobius et al D1	12/92
D438,145	S *	2/2001	Hatter D1	12/92
D468,238	S *	1/2003	Bhambra et al D1	2/92

^{*} cited by examiner

Primary Examiner—Melody N. Brown (74) Attorney, Agent, or Firm—Crowell & Moring LLP

(57)**CLAIM**

The ornamental design for a surface configuration of a vehicle, toy and/or other replicas, as shown and described.

DESCRIPTION

This application is related to the following co-pending applications filed on even date herewith: U.S. Appl. No. 29/210,440, entitled Surface Configuration of a Door Handle For a Vehicle; U.S. Appl. No. 29/210,442, entitle Surface Configuration of a Side Mirror for a Vehicle; U.S. Appl. No.

29/210,443, entitled "Surface Configuration of a Vehicle, Toy and/or Other Replicas"; and U.S. Appl. No. 29/210,445, entitled "Surface Configuration of a Vehicle, Toy and/or Other Replicas".

FIG. 1 is a right side view of a first embodiment of a surface configuration of a vehicle, toy and/or other replicas according to my novel design, the left side view being mirror symmetrical;

FIG. 2 is a front view of the first embodiment of the surface configuration of a vehicle, toy and/or other replicas according to my novel design;

FIG. 3 is a rear view of the first embodiment of the surface configuration of a vehicle, toy and/or other replicas according to my novel design;

FIG. 4 is a top view of the first embodiment of the surface configuration of a vehicle, toy and/or other replicas according to my novel design;

FIG. 5 is a front, right perspective view of the first embodiment of the surface configuration of a vehicle, toy and/or other replicas according to my novel design, the front, left perspective view being mirror symmetrical;

FIG. 6 is a rear, right perspective view of the first embodiment of the surface configuration of a vehicle, toy and/or other replicas according to my novel design, the rear, left perspective view being mirror symmetrical;


FIG. 7 is a right side view of a second embodiment of the surface configuration of a vehicle, toy and/or other replicas according to my novel design, the left side view being mirror symmetrical;

FIG. 8 is a front view of the second embodiment of the surface configuration of a vehicle, toy and/or other replicas according to my novel design;

FIG. 9 is a rear view of the second embodiment of the surface configuration of a vehicle, toy and/or other replicas according to my novel design;

FIG. 10 is a top view of the second embodiment of the surface configuration of a vehicle, toy and/or other replicas according to my novel design;

FIG. 11 is a front, right perspective view of the second embodiment of the surface configuration of a vehicle, toy and/or other replicas according to my novel design, the front, left perspective view being mirror symmetrical; and,




US D507,510 S

Page 2

FIG. 12 is a rear, right perspective view of the second embodiment of the surface configuration of a vehicle, toy and/or other replicas according to my novel design, the rear, left perspective view being mirror symmetrical.


The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 10 Drawing Sheets



F16.1

US D507,510 S










FIG. 3












FIG. 9

