

US00D507652S

(12) **United States Design Patent**  
**Tauber**

(10) **Patent No.:** **US D507,652 S**  
(45) **Date of Patent:** **\*\* Jul. 19, 2005**

(54) **SLING**

(76) **Inventor:** **Robyn Tauber**, 19569 NE. 36 Pl.,  
Aventura, FL (US) 33180

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/196,184**

(22) **Filed:** **Dec. 23, 2003**

(51) **LOC (8) Cl.** ..... **24-04**

(52) **U.S. Cl.** ..... **D24/190**

(58) **Field of Search** ..... D24/190; 602/4,  
602/5, 6, 20; 128/865, 878

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,285,337 A *	8/1981	Cosentino	.....	602/4
D273,516 S *	4/1984	Saal	.....	D24/190
5,772,617 A *	6/1998	Lay	.....	602/4
D483,492 S *	12/2003	Dumani	.....	D24/190
D484,604 S *	12/2003	Tramel et al.	.....	D24/190
6,770,044 B1 *	8/2004	Joslin	.....	602/4

**OTHER PUBLICATIONS**

Zimmer Catalog Orthopaedic Softgoods "Arm Slings" p.  
15.\*

\* cited by examiner

*Primary Examiner*—Ian Simmons

(74) *Attorney, Agent, or Firm*—Malloy & Malloy, P.A.


(57) **CLAIM**

The ornamental design for a sling, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a sling showing my new design, the broken line showing is for illustrative purposes only and forms no part of the claimed design invention; FIG. 2 is a front elevational view thereof; FIG. 3 is a left side view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a bottom plan view thereof; and, FIG. 7 is a rear elevational view thereof.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 4




FIG. 2



FIG. 3




FIG. 5




FIG. 6




FIG. 7