

US00D507782S

(12) **United States Design Patent** (10) **Patent No.:** **US D507,782 S**  
**Ishida** (45) **Date of Patent:** **\*\* Jul. 26, 2005**

(54) **LIGHT EMITTING DIODE**

(75) **Inventor:** **Masashi Ishida, Anan (JP)**

(73) **Assignee:** **Nichia Corporation (JP)**

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/198,267**

(22) **Filed:** **Jan. 28, 2004**

(30) **Foreign Application Priority Data**

|               |      |       |             |
|---------------|------|-------|-------------|
| Jul. 28, 2003 | (JP) | ..... | 2003-021725 |
| Jul. 28, 2003 | (JP) | ..... | 2003-021730 |
| Jul. 28, 2003 | (JP) | ..... | 2003-021731 |
| Jul. 28, 2003 | (JP) | ..... | 2003-021732 |
| Jul. 28, 2003 | (JP) | ..... | 2003-021733 |
| Jul. 28, 2003 | (JP) | ..... | 2003-021734 |
| Jul. 28, 2003 | (JP) | ..... | 2003-021735 |
| Jul. 28, 2003 | (JP) | ..... | 2003-021736 |
| Jul. 28, 2003 | (JP) | ..... | 2003-021737 |
| Jul. 28, 2003 | (JP) | ..... | 2003-021738 |
| Jul. 28, 2003 | (JP) | ..... | 2003-021739 |
| Jul. 28, 2003 | (JP) | ..... | 2003-021740 |
| Jul. 28, 2003 | (JP) | ..... | 2003-021741 |
| Jul. 28, 2003 | (JP) | ..... | 2003-021742 |
| Jul. 28, 2003 | (JP) | ..... | 2003-021743 |

(51) **LOC (8) Cl.** ..... **13-03**

(52) **U.S. Cl.** ..... **D13/180**

(58) **Field of Search** ..... D13/180, 182;  
257/76-79, 88-89, 93-99, 434, 676, 678,  
687, 690, 698, 787; 313/498, 499, 500;  
361/760, 820; 362/226, 241, 249, 250,  
307, 555, 800

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|              |   |         |                |       |         |
|--------------|---|---------|----------------|-------|---------|
| RE36,614 E   | * | 3/2000  | Lumbard et al. | ..... | 313/500 |
| 6,603,148 B1 | * | 8/2003  | Sano et al.    | ..... | 257/98  |
| D482,337 S   | * | 11/2003 | Kamada         | ..... | D13/182 |
| D489,677 S   | * | 5/2004  | Ishida         | ..... | D13/100 |

|                 |   |         |                  |       |         |
|-----------------|---|---------|------------------|-------|---------|
| D489,690 S      | * | 5/2004  | Ishida           | ..... | D13/180 |
| D489,691 S      | * | 5/2004  | Ishida           | ..... | D13/180 |
| D489,692 S      | * | 5/2004  | Ishida           | ..... | D13/180 |
| D489,693 S      | * | 5/2004  | Ishida           | ..... | D13/180 |
| D490,062 S      | * | 5/2004  | Ishida           | ..... | D13/180 |
| D490,384 S      | * | 5/2004  | Ishida           | ..... | D13/180 |
| D490,385 S      | * | 5/2004  | Ishida           | ..... | D13/180 |
| D490,386 S      | * | 5/2004  | Ishida           | ..... | D13/180 |
| D490,783 S      | * | 6/2004  | Ishida           | ..... | D13/180 |
| D490,784 S      | * | 6/2004  | Ishida           | ..... | D13/180 |
| D491,538 S      | * | 6/2004  | Ishida           | ..... | D13/182 |
| 2002/0149314 A1 | * | 10/2002 | Takahashi et al. | ..... | 313/500 |

**FOREIGN PATENT DOCUMENTS**

JP D1077515 7/2000 ..... 14/99

\* cited by examiner

*Primary Examiner*—Philip S. Hyder

*Assistant Examiner*—Selina Sikder

(74) *Attorney, Agent, or Firm*—Osha & May L.L.P.

(57) **CLAIM**

The ornamental design for a light emitting diode, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a light emitting diode showing my new design.

FIG. 2 shows a rear view of FIG. 1.

FIG. 3 shows a top view of FIG. 1.

FIG. 4 shows a bottom view of FIG. 1.

FIG. 5 shows a left side view of FIG. 1.

FIG. 6 shows a right side view of FIG. 1.


FIG. 7 shows a top perspective view of FIG. 1.


FIG. 8 shows a bottom perspective view of FIG. 1; and,

FIG. 9 shows a front view of FIG. 1, indicating a translucent portion.

The elements shown in broken lines are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**







**FIG. 1**




**FIG. 2**




**FIG. 3**



**FIG. 4**



**FIG. 5**



**FIG. 6**





FIG. 9