



US00D507991S

(12) **United States Design Patent** (10) **Patent No.:** **US D507,991 S**
Pfeiffer et al. (45) **Date of Patent:** **** Aug. 2, 2005**

(54) **SURFACE CONFIGURATION OF A VEHICLE, TOY AND/OR OTHER REPLICAS**

(75) Inventors: **Peter Pfeiffer**, Boeblingen (DE);
Stephen Mattin, Sindelfingen (DE)

(73) Assignee: **DaimlerChrysler AG**, Stuttgart (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/186,972**

(22) Filed: **Jul. 25, 2003**

(51) **LOC (8) Cl.** **12-08**

(52) **U.S. Cl.** **D12/91**

(58) **Field of Search** D12/90-92, 86;
D21/424, 433; 296/185

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|------------|---|--------|----------------------|--------|
| D460,022 S | * | 7/2002 | Hsu et al. | D12/91 |
| D469,038 S | * | 1/2003 | Mattin et al. | D12/91 |
| D476,269 S | * | 6/2003 | Suzuki et al. | D12/91 |
| D476,922 S | * | 7/2003 | Pfeiffer et al. | D12/91 |
| D490,019 S | * | 5/2004 | Sakae | D12/91 |

* cited by examiner

Primary Examiner—Melody N. Brown

(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(57) **CLAIM**

The ornamental design for a surface configuration of a vehicle, toy and/or other replicas, as shown and described.

DESCRIPTION

This application is related to the following co-pending applications, of the inventors, filed on even date herewith:

application Ser. No. 29/186,973, entitled “Surface Configuration of a Headlight for a Vehicle”; application Ser. No. 29/186,974, entitled “Surface Configuration of a Taillight for a Vehicle”; application Ser. No. 29/186,975, entitled “Surface Configuration of a Front Bumper for a Vehicle”; application Ser. No. 29/186,977, entitled “Surface Configuration of a Rear Bumper for a Vehicle”; and application Ser. No. 29/186,976, entitled “Surface Configuration of a Radiator Grill for a Vehicle”.

FIG. 1 is a front view of a surface configuration of a vehicle, toy and/or other replicas according to our novel design;

FIG. 2 is a left, front perspective view of the surface configuration of a vehicle, toy and/or other replicas according to our novel design, the right, front perspective view being mirror symmetrical;

FIG. 3 is a left side view of the surface configuration of a vehicle, toy and/or other replicas according to our novel design;

FIG. 4 is a right side view of the surface configuration of a vehicle, toy and/or other replicas according to our novel design;


FIG. 5 is a rear view of the first embodiment of the surface configuration of a vehicle, toy and/or other replicas according to our novel design;

FIG. 6 is a left, rear perspective view of the surface configuration of a vehicle, toy and/or other replicas according to our novel design, the right, rear perspective view being mirror symmetrical; and,

FIG. 7 is a top view of the surface configuration of a vehicle, toy and/or other replicas according to our novel design.

The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7