

US00D508204S

(12) **United States Design Patent** (10) **Patent No.:** **US D508,204 S**
Pitman et al. (45) **Date of Patent:** **** Aug. 9, 2005**

(54) **TAMPER-EVIDENT BAND**

(75) Inventors: **Kelvin Pitman**, Bubendorf (CH); **Udo Boesl**, Eilmeldingen (DE); **Patrick Habersaat**, Reinach (CH)

(73) Assignee: **Crown Cork & Seal Technologies Corporation**, Alsip, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/192,379**

(22) Filed: **Oct. 23, 2003**

(51) **LOC (8) Cl.** **09-07**

(52) **U.S. Cl.** **D9/452; D9/454**

(58) **Field of Search** D9/448, 434, 435, D9/450, 452, 453, 454, 415; 215/200, 208, 214, 217, 328, 329, 337; D24/197-199

DE	8815335.5	12/1988
DE	8811108	2/1989
DE	8815335	2/1989
EP	0 072 924	5/1989
EP	0410059	1/1991
EP	0511502	11/1992
EP	0410 059	6/1994
EP	0 593 396	1/1996
EP	0 511 502	4/1996
FR	2 580 593	4/1985
FR	2580593	10/1986
FR	DM/063888	* 6/2003
JP	7291318	11/1995
JP	08058817	3/1996
JP	8058817	3/1996
JP	08164960	6/1996
JP	8164960	6/1996
WO	WO 91/11369	8/1991
WO	WO 01/51375	7/2001
WO	WO 03/016161	2/2003

(56) **References Cited**

U.S. PATENT DOCUMENTS

D210,168 S	*	2/1968	Plochman	D9/453
4,550,844 A		11/1985	Lininger		
4,598,835 A		7/1986	Brownbill		
4,657,153 A		4/1987	Hayes		
4,739,893 A		4/1988	Zumbuhl		
4,971,213 A		11/1990	Ishinabe et al.		
5,040,692 A		8/1991	Julian		
5,050,753 A		9/1991	Trump et al.		
5,056,675 A		10/1991	Julian		
5,090,788 A		2/1992	Ingram et al.		
5,197,621 A		3/1993	Bartl et al.		
5,356,019 A		10/1994	Kelly		
5,400,913 A		3/1995	Kelly		
D359,682 S	*	6/1995	Miller	D9/453
D380,385 S	*	7/1997	Litke	D9/454
5,749,484 A		5/1998	Trout		
5,782,369 A		7/1998	Tansey		

(Continued)

FOREIGN PATENT DOCUMENTS

DE	8811108.3	9/1988
----	-----------	--------

Primary Examiner—Robert M. Spear
Assistant Examiner—Susan Bennett-Hattan
 (74) *Attorney, Agent, or Firm*—Knoble Yoshida & Dunleavy, LLC

(57) **CLAIM**


The ornamental design for a “tamper-evident band,” as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing our new design;
 FIG. 2 is a front elevational view;
 FIG. 3 is a rear elevational view;
 FIG. 4 is a top plan view;
 FIG. 5 is a bottom plan view;
 FIG. 6 is a cross-sectional view taken along lines 6—6 in FIG. 5; and,
 FIG. 7 is a cross-sectional view taken along lines 7—7 in FIG. 6.

Any broken lines in the drawings depict probable environment only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets



US D508,204 S

Page 2

U.S. PATENT DOCUMENTS

D409,491 S	*	5/1999	Ullrich et al.	D9/453	D460,357 S	*	7/2002	Kras et al.	D9/453
5,913,437 A		6/1999	Ma		D469,693 S	*	2/2003	Weiss et al.	D9/452
5,964,139 A		10/1999	Spatz et al.		D480,305 S	*	10/2003	Nusbaum et al.	D9/452
D420,906 S	*	2/2000	Nash et al.	D9/415	2001/0002661 A1		6/2001	Reidenbach	
D436,862 S	*	1/2001	Witt et al.	D9/453	2002/0033374 A1		3/2002	Ma	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7