

US00D508215S

(12) **United States Design Patent**
Grygo

(10) **Patent No.: US D508,215 S**
(45) **Date of Patent: ** Aug. 9, 2005**

- (54) **WIRELESS RING OUT METER**
- (76) **Inventor: Jeffrey Grygo, 13475 Baywood Way, Lathrop, CA (US) 95330**
- (**) **Term: 14 Years**
- (21) **Appl. No.: 29/199,968**
- (22) **Filed: Feb. 19, 2004**
- (51) **LOC (8) Cl. 10-04**
- (52) **U.S. Cl. D10/78**
- (58) **Field of Search D10/78; 324/99 D, 324/111, 113, 126, 142, 156, 157; 379/21, 37; 340/506, 531, 539.1, 539.22, 825.36**

- 6,255,942 B1 7/2001 Knudsen
- 6,384,591 B1 5/2002 Estep
- D478,016 S * 8/2003 Chen D10/78
- D478,018 S * 8/2003 Adamosky D10/78
- 6,617,840 B2 9/2003 Bierer
- 6,853,302 B2 * 2/2005 Monroe 340/539.1
- 2003/0058128 A1 3/2003 Crunk

* cited by examiner

Primary Examiner—Antoine D. Davis
(74) *Attorney, Agent, or Firm*—Lawrence J. Gibney, Jr.

(57) **CLAIM**

The ornamental design for the wireless ring out meter, as shown and described.


DESCRIPTION

- FIG. 1 is a front view of the device.
- FIG. 2 is a review of the device.
- FIG. 3 is a view from the right side of the device.
- FIG. 4 is a view from the left side of the device.
- FIG. 5 is a view from the top of the device.
- FIG. 6 is a bottom view of the device; and,
- FIG. 7 is a perspective view of the device.

1 Claim, 5 Drawing Sheets

(56) **References Cited**
U.S. PATENT DOCUMENTS

- 4,949,274 A 8/1990 Hollander
- 5,266,947 A * 11/1993 Fujiwara et al. 340/539.1
- 5,305,244 A 4/1994 Newman
- 5,337,041 A * 8/1994 Friedman 340/825.36
- D350,906 S * 9/1994 Passio D10/78
- 5,640,155 A 6/1997 Springer
- 5,652,564 A * 7/1997 Winbush 340/825.69
- D435,796 S 1/2001 Tomiyama






FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7