

US00D508218S

(12) **United States Design Patent**
Yoshiguchi

(10) **Patent No.:** **US D508,218 S**

(45) **Date of Patent:** **** Aug. 9, 2005**

(54) **BUCKLE**

(75) **Inventor:** **Manabu Yoshiguchi, Kamakura (JP)**

(73) **Assignee:** **Nifco Inc., Yokohama (JP)**

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/198,284**

(22) **Filed:** **Jan. 29, 2004**

(30) **Foreign Application Priority Data**

Aug. 8, 2003 (JP) 2003-023147

(51) **LOC (8) Cl.** **02-07**

(52) **U.S. Cl.** **D11/218**

(58) **Field of Search** D11/200, 201,
D11/208-210, 212-218, 220, 230-234,
237, 86-87, 94; 63/15.2, 15; 24/307, 625,
616, 200, 196, 171, 169, 112

(56) **References Cited**

U.S. PATENT DOCUMENTS

D340,008 S * 10/1993 Anscher D11/218

D347,601 S * 6/1994 Anscher D11/218

D421,578 S * 3/2000 Anscher D11/218

D467,838 S * 12/2002 Yoshiguchi D11/218

D483,294 S * 12/2003 Uehara D11/218

D491,103 S * 6/2004 Uehara et al. D11/218

* cited by examiner

Primary Examiner—Ralf Seifert

(74) *Attorney, Agent, or Firm*—Manabu Kanesaka

(57) **CLAIM**

The ornamental design for a buckle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a buckle showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a right side view thereof;


FIG. 5 is a left side view thereof;

FIG. 6 is a plan view thereof;

FIG. 7 is a bottom view thereof; and,

FIG. 8 is sectional view taken along line 8—8 in FIG. 2.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6




FIG. 7




FIG. 8