



US00D508413S

(12) **United States Design Patent**
Ueda

(10) **Patent No.:** **US D508,413 S**
(45) **Date of Patent:** **** Aug. 16, 2005**

(54) **FLEXIBLE POUCH**

- (75) Inventor: **Osao Ueda, Osaka (JP)**
- (73) Assignee: **Fuji Seal International, Inc. (JP)**
- (**) Term: **14 Years**
- (21) Appl. No.: **29/197,599**
- (22) Filed: **Jan. 16, 2004**
- (30) **Foreign Application Priority Data**

Jul. 18, 2003	(JP)	2003-020889
Jul. 18, 2003	(JP)	2003-020895
Jul. 18, 2003	(JP)	2003-020896

- (51) **LOC (8) Cl.** **09-05**
- (52) **U.S. Cl.** **D9/708**
- (58) **Field of Search** D7/319, 321, 317;
D9/434, 522, 526, 527, 528, 529, 531,
696, 697, 702, 703, 708, 714; 215/385,
398; 222/452, 454, 456, 476, 771

(56) **References Cited**

U.S. PATENT DOCUMENTS

D291,491 S * 8/1987 Larkin D24/118

(Continued)

FOREIGN PATENT DOCUMENTS

JP 1023368 10/1998

(Continued)

Primary Examiner—Prabhakar Deshmukh
Assistant Examiner—Jean E. McCormick
(74) *Attorney, Agent, or Firm*—Osha & May, L.L.P.

(57) **CLAIM**

The ornamental design for a flexible pouch, as shown and described.

DESCRIPTION

FIG. 1 shows a perspective view of the design for a filled flexible pouch according to a first embodiment of the invention.

FIG. 2 shows a front view of the design for the filled flexible pouch according to the first embodiment of the invention.

FIG. 3 shows a rear view of the design for the filled flexible pouch according to the first embodiment of the invention.

FIG. 4 shows a bottom view of the design for the filled flexible pouch according to the first embodiment of the invention.

FIG. 5 shows a top view of the design for the filled flexible pouch according to the first embodiment of the invention.

FIG. 6 shows a left side view for the filled flexible pouch of the design according to the first embodiment of the invention.

FIG. 7 shows a right side view for the filled flexible pouch of the design according to the first embodiment of the invention.

FIG. 8 shows a perspective view of the design for an empty flexible pouch according to the first embodiment of the invention.

FIG. 9 shows a front view of the design for the empty flexible pouch according to the first embodiment of the invention. The rear view is a mirror image of the front view.

FIG. 10 shows a bottom view of the empty flexible pouch of the design according to the first embodiment of the invention.

FIG. 11 shows a top view for the empty flexible pouch of the design according to the first embodiment of the invention.

FIG. 12 shows a left side view of the design for the empty flexible pouch according to the first embodiment of the invention.

FIG. 13 shows a right side view of the design for the empty flexible pouch according to the first embodiment of the invention.

FIG. 14 shows a perspective view of the design for a filled flexible pouch according to a second embodiment of the invention.

FIG. 15 shows a front view of the design for the filled flexible pouch according to the second embodiment of the invention.

FIG. 16 shows a rear view of the design for the filled flexible pouch according to the second embodiment of the invention.

FIG. 17 shows a bottom view of the design for the filled flexible pouch according to the second embodiment of the invention.

FIG. 18 shows a top view of the design for the filled flexible pouch according to the second embodiment of the invention.

FIG. 19 shows a left side view for the filled flexible pouch of the design according to the second embodiment of the invention.

FIG. 20 shows a right side view for the filled flexible pouch of the design according to the second embodiment of the invention.

FIG. 21 shows a perspective view of the design for an empty flexible pouch according to the second embodiment of the invention.

FIG. 22 shows a front view of the design for the empty flexible pouch according to the second embodiment of the invention. The rear view is a mirror image of the front view.

FIG. 23 shows a bottom view for the empty flexible pouch of the design according to the second embodiment of the invention.


FIG. 24 shows a top view for the empty flexible pouch of the design according to the second embodiment of the invention.

FIG. 25 shows a left side view of the design for the empty flexible pouch according to the second embodiment of the invention; and,

FIG. 26 shows a right side view of the design for the empty flexible pouch according to the second embodiment of the invention.

The elements shown in broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D508,413 S

Page 2

U.S. PATENT DOCUMENTS

D307,385 S * 4/1990 Kimura D9/697
5,100,030 A * 3/1992 Roggenburg et al. 222/181.2
D409,481 S * 5/1999 Smith et al. D9/697
D412,665 S * 8/1999 Smith et al. D9/434
D435,440 S * 12/2000 Croft et al. D9/696
D436,030 S * 1/2001 Tedeschi et al. D9/703
6,220,702 B1 * 4/2001 Nakamura et al. 347/86
D446,445 S * 8/2001 Croft et al. D9/696
D453,295 S * 2/2002 Bell et al. D9/710
D455,645 S * 4/2002 Bell et al. D9/697
D457,318 S * 5/2002 Borland et al. D3/303
D474,682 S * 5/2003 Berman D9/708

D474,683 S * 5/2003 Berman D9/708
D489,603 S * 5/2004 Berman D9/700
D490,303 S * 5/2004 Berman D9/708
D497,544 S * 10/2004 Berman D9/707

FOREIGN PATENT DOCUMENTS

JP 1025788 11/1998
JP 1156117 10/2002
JP 2003-020889 * 7/2003
JP 2003-020895 * 7/2003
JP 2003-020896 * 7/2003

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9



FIG. 10



FIG. 11



FIG. 12



FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22



FIG. 23



FIG. 24



FIG. 25



FIG. 26