

US00D508428S

(12) **United States Design Patent**
Collier

(10) **Patent No.:** **US D508,428 S**

(45) **Date of Patent:** **** Aug. 16, 2005**

(54) **COMBINED ILLUMINABLE NOVELTY PIN,
PENDANT, AND MAGNET**

(75) **Inventor:** **James Dale Collier**, 51 Casa del Fuego
St., Henderson, NV (US) 89012

(73) **Assignee:** **James Dale Collier**, Henderson, NV
(US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/195,819**

(22) **Filed:** **Dec. 16, 2003**

(51) **LOC (8) Cl.** **11-01**

(52) **U.S. Cl.** **D11/43; D11/79**

(58) **Field of Search** D11/1-2, 40-43,
D11/44, 48-49, 53, 56-57, 59, 60, 63,
65, 79-82, 83, 91, 95-97, 99-101, 106,
114-115; 63/1.11, 18-20; D3/207-211

(56) **References Cited**

U.S. PATENT DOCUMENTS

D39,105 S	*	2/1908	Jacobs	D11/62
1,589,681 A	*	6/1926	Carlson et al.	40/591
2,374,375 A		4/1945	O'Donnell		
3,805,047 A		4/1974	Dockstader		
4,101,955 A		7/1978	DuNah		

D250,006 S	10/1978	Kleiner
D250,007 S	10/1978	Kleiner
4,215,388 A	7/1980	Reimann
D263,570 S	3/1982	Gordan
D263,936 S	4/1982	Gordan
D263,937 S	4/1982	Gordan
D264,058 S	4/1982	Gordan
D268,366 S	3/1983	Hasty

* cited by examiner

Primary Examiner—Ralf Seifert

(57) **CLAIM**


The ornamental design for a combined illuminable novelty pin, pendant, and magnet, as shown & described.

DESCRIPTION

FIG. 1 is a top plan view of a combined illuminable novelty pin, pendant, and magnet embodying the present invention; FIG. 2 is a front elevational view thereof; FIG. 3 is a right side elevational view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a left side elevational view thereof; and, FIG. 6 is a rear elevational view thereof.

The light emitting diode illumination and other components are shown in broken lines for illustrative purposes only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets









Fig. 5




Fig. 6

