

US00D508431S

(12) **United States Design Patent**  
**Yoshiguchi**

(10) **Patent No.:** **US D508,431 S**

(45) **Date of Patent:** **\*\* Aug. 16, 2005**

(54) **BUCKLE**

(75) **Inventor:** **Manabu Yoshiguchi, Kamakura (JP)**

(73) **Assignee:** **Nifco Inc., Yokohama (JP)**

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/214,838**

(22) **Filed:** **Oct. 12, 2004**

(30) **Foreign Application Priority Data**

Apr. 28, 2004 (JP) ..... 2004-012927

(51) **LOC (8) Cl.** ..... **02-07**

(52) **U.S. Cl.** ..... **D11/216**

(58) **Field of Search** ..... D11/200, 201,  
D11/208-210, 212-218, 220, 230-234,  
237, 86-87, 94; 63/15.2, 15; 24/307, 625,  
616, 200, 196, 171, 169, 112

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D379,161 S \* 5/1997 Matoba ..... D11/216  
D401,533 S \* 11/1998 Anscher ..... D11/218

D423,985 S \* 5/2000 Yoshiguchi ..... D11/218  
D424,978 S \* 5/2000 Yoshiguchi ..... D11/218  
D471,130 S \* 3/2003 Lai ..... D11/216  
D496,304 S \* 9/2004 Uehara et al. .... D11/216

\* cited by examiner

*Primary Examiner*—Ralf Seifert

(74) *Attorney, Agent, or Firm*—Manabu Kanesaka


(57) **CLAIM**

The ornamental design for a buckle, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a buckle showing my new design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a rear view thereof;  
FIG. 4 is a plan view thereof;  
FIG. 5 is a bottom view thereof;  
FIG. 6 is a right side view thereof, a left side view being symmetrical to the right side view;  
FIG. 7 is a sectional view taken along line 7—7 in FIG. 2; and,  
FIG. 8 is a sectional view taken along line 8—8 in FIG. 6.

**1 Claim, 2 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3



Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8