

US00D508459S

(12) **United States Design Patent** (10) **Patent No.:** **US D508,459 S**
Yoshida (45) **Date of Patent:** **** Aug. 16, 2005**

(54) **BATTERY CHARGER FOR ELECTRONIC CAMERAS**

(75) Inventor: **Koji Yoshida**, Tokyo (JP)

(73) Assignee: **Fuji Photo Film Co., Ltd.**, Kanagawa (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/210,933**

(22) Filed: **Aug. 10, 2004**

(30) **Foreign Application Priority Data**

Feb. 23, 2004 (JP) 2004-005096

(51) **LOC (8) Cl.** **13-02**

(52) **U.S. Cl.** **D13/108**

(58) **Field of Search** D13/107-110,
D13/118-119, 184; D14/251, 253; D16/219,
237, 242; 320/107-115

(56) **References Cited**

U.S. PATENT DOCUMENTS

D204,881 S * 5/1966 Cook D13/108
D349,125 S * 7/1994 Wilson et al. D16/208
5,602,458 A * 2/1997 Dowe 396/205
D390,824 S * 2/1998 Foster et al. D13/108

D404,357 S * 1/1999 Foster et al. D13/108
D472,896 S * 4/2003 Peiker D14/253
D474,737 S * 5/2003 Yoshida D13/108
D481,033 S * 10/2003 Peiker D14/253
D483,052 S * 12/2003 Utsunomiya D16/242

* cited by examiner

Primary Examiner—Alan P. Douglas

Assistant Examiner—Rosemary Tarcza

(74) *Attorney, Agent, or Firm*—Young & Thompson

(57) **CLAIM**

The ornamental design for a battery charger for electronic cameras, as shown.

DESCRIPTION

FIG. 1 is a top, front and side perspective view of a battery charger for electronic cameras, showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a side elevational view thereof from the left of FIG. 2; and, FIG. 7 is a side elevational view thereof from the right of FIG. 2.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG.3




FIG.4




FIG.5




FIG.6




FIG. 7

