



US00D508535S

(12) **United States Design Patent** (10) **Patent No.:** **US D508,535 S**  
**Kosek** (45) **Date of Patent:** **\*\* Aug. 16, 2005**

(54) **SIGN SYSTEM**

(75) Inventor: **Randolph Richard Kosek**, Olympia, WA (US)

(73) Assignee: **WP Sign Systems**, Centralia, WA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/179,221**

(22) Filed: **Apr. 3, 2003**

(51) **LOC (8) Cl.** ..... **20-03**

(52) **U.S. Cl.** ..... **D20/10**

(58) **Field of Search** ..... D20/10, 11, 13, D20/15, 19, 20, 25, 29, 31, 32, 40, 41, 42, 99; 40/1, 218, 124.02, 124.04, 591, 593; 283/56, 81; 362/812

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,649,968	A	8/1953	Rice	
3,418,738	A *	12/1968	Sol	40/574
3,673,724	A *	7/1972	Bell et al.	40/729
3,992,872	A	11/1976	Stanish	
D273,877	S	5/1984	Darrell	
4,662,093	A *	5/1987	Suttles et al.	40/773
4,854,062	A	8/1989	Bayo	
D315,364	S *	3/1991	Scalice et al.	D19/10
D327,229	S *	6/1992	Bonneville	D10/109
D348,486	S *	7/1994	Fischtein et al.	D20/40
5,544,438	A *	8/1996	Fazekas	40/605
D391,995	S	3/1998	Hackmeister	
5,887,373	A *	3/1999	Byers	40/733
5,941,002	A *	8/1999	Rusin	40/611.06
D422,641	S *	4/2000	Harris, Sr.	D20/40
D433,071	S	10/2000	Barrett	
D485,311	S *	1/2004	Kosek	D20/10
6,758,572	B2 *	7/2004	Ladyjensky	362/34

**OTHER PUBLICATIONS**

Original Coors Tri-Motion Sign, Point of Purchase Design Annual #5, p. 22.

UDG Bourbon Heritage Barrel Display, Point of Purchase Design Annual #5, p. 36.

\* cited by examiner

*Primary Examiner*—Robert M. Spear

(74) *Attorney, Agent, or Firm*—Christensen O'Connor Johnson Kindness PLLC

(57) **CLAIM**

The ornamental design for a sign system, as shown and depicted.

**DESCRIPTION**

FIG. 1 is an isometric view of a first embodiment of my sign system;

FIG. 2 is a front elevational view of FIG. 1;

FIG. 3 is a top view of FIG. 1, with a bottom view being a mirror image thereof;

FIG. 4 is a side elevational view of FIG. 1 taken from the right-hand side of FIG. 2, with the opposite side elevational view, taken from the left-hand side of FIG. 2, being a mirror image thereof;

FIG. 5 is a rear elevational view of FIG. 1;

FIG. 6 is an isometric view of a second embodiment of the present invention;

FIG. 7 is a front elevational view of FIG. 6;


FIG. 8 is a top plan view of FIG. 6, with the bottom view being a mirror image thereof;


FIG. 9 is a side elevational view of FIG. 6, taken from the right-hand side of FIG. 7, with the opposite side elevational view, taken from the left-hand side of FIG. 7, being a mirror image thereof; and,

FIG. 10 is a rear elevational view of FIG. 6.


In the drawings, the indicia shown in broken lines depict environmental structure, which forms no part of the claimed design.

**1 Claim, 3 Drawing Sheets**







*Fig. 1.*



*Fig. 2.*




*Fig. 3.*




*Fig. 5.*



*Fig. 4.*




*Fig. 6.*



*Fig. 7.*



*Fig. 8.*



*Fig. 9.*

*Fig. 10.*