



US00D508660S

(12) **United States Design Patent**
Kaneko et al.

(10) **Patent No.:** **US D508,660 S**

(45) **Date of Patent:** **** Aug. 23, 2005**

(54) **BUCKLE**

D359,464 S * 6/1995 Grasso et al. D11/216
D469,303 S * 1/2003 Au D7/379
D491,102 S * 6/2004 Matoba et al. D11/216

(75) Inventors: **Hitoshi Kaneko**, Kurobe (JP);
Yasutaka Nishida, Tokyo (JP);
Shinichiro Kinebuchi, Tokyo (JP)

* cited by examiner

(73) Assignee: **YKK Corporation**, Tokyo (JP)

Primary Examiner—Ralf Seifert

(**) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Michael S. Leonard;
Everest Intellectual Property Law Group

(21) Appl. No.: **29/202,990**

(57) **CLAIM**

(22) Filed: **Apr. 7, 2004**

The ornamental design for a buckle, as shown and described.

(30) **Foreign Application Priority Data**

Nov. 13, 2003 (JP) 2003-033937

DESCRIPTION

(51) **LOC (8) Cl.** **02-07**

FIG. 1 is a front view of a buckle of the claimed design.

(52) **U.S. Cl.** **D11/216**

FIG. 2 is a rear view of the buckle of FIG. 1.

(58) **Field of Search** D11/200, 201,
D11/208–210, 212–218, 220, 230–234,
237, 86–87, 94; 63/15.2, 15; 24/307, 625,
616, 200, 196, 171, 169, 112

FIG. 3 is a plan view of the buckle of FIG. 1.

FIG. 4 is a bottom view of the buckle of FIG. 1.

FIG. 5 is a right side view of the buckle of FIG. 1; and,

FIG. 6 is a perspective view of the belt adjuster of FIG. 1.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D340,886 S * 11/1993 Anscher D11/218

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6

