



US00D508744S

(12) **United States Design Patent**  
**Pfeiffer et al.**

(10) **Patent No.: US D508,744 S**  
(45) **Date of Patent: \*\* Aug. 23, 2005**

(54) **SURFACE CONFIGURATION OF A HEADLIGHT FOR A VEHICLE**

**DESCRIPTION**

(75) Inventors: **Peter Pfeiffer**, Boeblingen (DE);  
**Gorden Wagener**, Stuttgart (DE);  
**Stephen Mattin**, Sindelfingen (DE)

(73) Assignee: **DaimlerChrysler AG**, Stuttgart (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/185,792**

(22) Filed: **Jul. 3, 2003**

(51) **LOC (8) Cl.** ..... **26-06**

(52) **U.S. Cl.** ..... **D26/28**

(58) **Field of Search** ..... D26/28-36; 362/61,  
362/80, 81, 82, 83, 83.3, 267, 269, 275,  
330-340

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D472,656 S \* 4/2003 Pfeiffer et al. .... D26/28  
D477,430 S \* 7/2003 Lin ..... D26/28  
D481,807 S \* 11/2003 Honer ..... D26/28

\* cited by examiner

*Primary Examiner*—Marcus A. Jackson  
(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(57) **CLAIM**

The ornamental design for a surface configuration of a headlight for a vehicle, as shown and described.

This application is related to the following co-pending application, of the inventors, filed on even date herewith: Application Ser. No. 29/185,764, entitled “Surface Configuration of a Vehicle, Toy and/or Other Replicas”.

FIG. 1 is a perspective view of a first embodiment of a surface configuration of a headlight for a vehicle according to our novel design;

FIG. 2 is a front view of the first embodiment of the surface configuration of a headlight for a vehicle according to our novel design;

FIG. 3 is a side view of the first embodiment of the surface configuration of a headlight for a vehicle according to our novel design;


FIG. 4 is a perspective view of a second embodiment of the surface configuration of a headlight for a vehicle according to our novel design;

FIG. 5 is a front view of the second embodiment of the surface configuration of a headlight for a vehicle according to our novel design; and,

FIG. 6 is a side view of the second embodiment of the surface configuration of a headlight for a vehicle according to our novel design.

The broken lines are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG. 1





FIG. 2



**FIG. 3**




FIG. 4




FIG. 5




FIG. 6