

US00D508849S

(12) **United States Design Patent** (10) **Patent No.:** **US D508,849 S**
Kumakura et al. (45) **Date of Patent:** **** Aug. 30, 2005**

(54) **CONTAINER FOR DRY BATTERIES**

(75) Inventors: **Katsuhiko Kumakura**, Kyoto (JP);
Futoshi Tada, Osaka (JP); **Yoshikazu**
Yukami, Yao (JP)

(73) Assignee: **Matsushita Electric Industrial Co.,**
Ltd., Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/200,722**

(22) Filed: **Mar. 2, 2004**

(30) **Foreign Application Priority Data**

Sep. 10, 2003 (JP) 2003-026441

(51) **LOC (8) Cl.** **09-03**

(52) **U.S. Cl.** **D9/430; D9/418**

(58) **Field of Search** D9/414-418, 430-433,
D9/423, 734; D7/401.1, 589, 590; 206/461-471,
703-705, 806, 758, 761-765; 229/120.1,
122; 221/305

(56) **References Cited**

U.S. PATENT DOCUMENTS

D321,134 S * 10/1991 Toinet D9/415
D333,781 S * 3/1993 Kobel D9/734
D403,576 S * 1/1999 Weiss D9/734
D423,344 S 4/2000 Kumakura et al.
D423,928 S 5/2000 Kumakura et al.

D425,415 S 5/2000 Kumakura et al.
D429,462 S 8/2000 Kumakura et al.
D429,637 S 8/2000 Kumakura et al.
D443,204 S * 6/2001 Garrant et al. D9/415
D479,125 S 9/2003 Kumakura et al.
D479,126 S 9/2003 Kumakura et al.
D493,107 S * 7/2004 Bergne D9/432

FOREIGN PATENT DOCUMENTS

JP 60-162365 10/1985

* cited by examiner

Primary Examiner—Stella Reid

Assistant Examiner—Mark A. Goodwin

(74) *Attorney, Agent, or Firm*—Brinks Hofer Gilson &
Lione


(57) **CLAIM**

The ornamental design for a container for dry batteries, as
shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a container for dry
batteries of the present invention;
FIG. 2 is a front view thereof;
FIG. 3 is a first side view thereof;
FIG. 4 is a second side view thereof;
FIG. 5 is a rear view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7