

US00D508862S

(12) **United States Design Patent**  
**Behar et al.**

(10) **Patent No.: US D508,862 S**  
(45) **Date of Patent: \*\* Aug. 30, 2005**

(54) **HAND-HELD ELECTRONIC DEVICE**

(75) Inventors: **Albert Behar**, Reston, VA (US);  
**William T. Riley**, Ashburn, VA (US)

(73) Assignee: **PICS, Inc.**, Reston, VA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/197,078**

(22) Filed: **Jan. 12, 2004**

(51) **LOC (8) Cl. .... 10-05**

(52) **U.S. Cl. .... D10/104**

(58) **Field of Search** ..... D14/496, 240,  
D14/218, 167; D13/168; D10/78, 104, 106;  
340/426.22, 937; 348/734; 455/352, 353,  
354, 355

D454,547 S \* 3/2002 Lin ..... D13/168  
D459,263 S \* 6/2002 Flick ..... D10/106  
D459,314 S \* 6/2002 Flick ..... D13/168  
D460,053 S \* 7/2002 Choi ..... D13/168  
D461,457 S \* 8/2002 Lin ..... D13/168  
D468,365 S \* 1/2003 Bransky et al. .... D21/329  
D490,799 S \* 6/2004 Gubbels et al. .... D14/191  
D494,489 S \* 8/2004 Tulloch ..... D10/106  
D496,461 S \* 9/2004 Neel et al. .... D24/169  
D496,913 S \* 10/2004 To ..... D13/168

\* cited by examiner

*Primary Examiner*—Joel A. Sincavage

*Assistant Examiner*—Austin Murphy

(74) *Attorney, Agent, or Firm*—Nixon & Vanderhye P.C.

(57) **CLAIM**

The ornamental design for a “hand-held electronic device,” as shown and described.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D324,344 S \* 3/1992 Collister ..... D10/46  
D333,633 S \* 3/1993 Issa ..... D10/106  
D357,919 S \* 5/1995 Tsui ..... D14/218  
D371,198 S \* 6/1996 Savage et al. .... D24/169  
D375,696 S \* 11/1996 Seki et al. .... D10/104  
D376,114 S \* 12/1996 Seki et al. .... D10/104  
D380,694 S \* 7/1997 Seki et al. .... D10/104  
D380,695 S \* 7/1997 Seki et al. .... D10/104  
D389,759 S \* 1/1998 Taylor et al. .... D10/78  
D393,313 S \* 4/1998 Meisner et al. .... D24/169  
D409,620 S \* 5/1999 Spaggiari ..... D14/218  
D409,999 S \* 5/1999 Nuovo et al. .... D14/138  
D419,464 S \* 1/2000 Chang ..... D10/78  
D423,462 S \* 4/2000 Jimenez et al. .... D13/168  
D424,060 S \* 5/2000 Baker et al. .... D14/218  
D441,185 S \* 5/2001 Shimizu et al. .... D3/207  
D444,235 S \* 6/2001 Roberts et al. .... D24/169  
D452,250 S \* 12/2001 Chan ..... D14/496

**DESCRIPTION**

FIG. 1 is a front, top and left-side perspective view of the hand-held electronic device;

FIG. 2 is a front plan view of the device shown in FIG. 1; FIG. 3 is a rear plan view of the device shown in FIG. 1. The broken line of FIG. 3 is for illustrative purposes only and forms no part of the claimed design.

FIG. 4 is a front elevational view of the device shown in FIG. 1;


FIG. 5 is a bottom elevational view of the device shown in FIG. 1;


FIG. 6 is a left side elevational view of the device shown in FIG. 1; and,

FIG. 7 is a right side elevational view of the device shown in FIG. 1.


The broken line showing of FIG. 3 is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 3 Drawing Sheets**







*Fig. 1*




*Fig. 2*




*Fig. 3*




*Fig. 4*



*Fig. 5*



*Fig. 6*



*Fig. 7*