

US00D509050S

(12) **United States Design Patent**
Savoie

(10) Patent No.: **US D509,050 S**

(45) Date of Patent: **** Sep. 6, 2005**

(54) **DUAL DUROMETER CLEAT**

D493,276 S * 7/2004 McMullin D2/962

(75) Inventor: **Armand J. Savoie**, Gardner, MA (US)

* cited by examiner

(73) Assignee: **MacNeill Engineering Company, Inc.**,
Marlborough, MA (US)

Primary Examiner—Dominic Simone

(74) *Attorney, Agent, or Firm*—Bromberg & Sunstein LLP

(**) Term: **14 Years**

(57) **CLAIM**

The ornamental design for a dual durometer cleat, as shown and described.

(21) Appl. No.: **29/185,615**

(22) Filed: **Jun. 30, 2003**

DESCRIPTION

(51) **LOC (8) Cl.** **02-99**

FIG. 1 is a top plan view of a dual durometer cleat showing my new design; and,

(52) **U.S. Cl.** **D2/962**

FIG. 2 is an offset rear view of the cleat, the broken line showing for illustrative purposes only and forms no part of the claimed design.

(58) **Field of Search** D2/906, 962; 36/131,
36/134, 62-65


The broken line in FIG. 2 encloses structure that forms no part of the claimed design and is shown for illustrative purposes only.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D450,915 S * 11/2001 McMullin D2/962
- D452,947 S * 1/2002 Terashima D2/962
- 6,675,505 B2 * 1/2004 Terashima 36/134

1 Claim, 2 Drawing Sheets






FIG 1




FIG 2