



US00D509054S

(12) **United States Design Patent**  
**Shennib et al.**

(10) **Patent No.:** **US D509,054 S**  
(45) **Date of Patent:** **\*\* Sep. 6, 2005**

(54) **COMBINED HEARING DEVICE REMOVAL TOOL, CAP AND HOLDER**

(75) Inventors: **Adnan Ahmed Shennib**, Fremont, CA (US); **Gregory Kushner**, El Sobrante, CA (US)

(73) Assignee: **InSound Medical, Inc.**, Newark, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/199,480**

(22) Filed: **Feb. 14, 2004**

(51) **LOC (8) Cl.** ..... **03-01**

(52) **U.S. Cl.** ..... **D3/203.1**

(58) **Field of Search** ..... D3/203.1, 203.2, D3/203.3, 205, 20, 28, 207-208; 206/37, 38.1, 528, 530, 534-537

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D156,228 S	*	11/1949	Gaudriot	.....	D3/208
D307,820 S	*	5/1990	Ullom et al.	.....	D3/20
D409,830 S	*	5/1999	Stafford	.....	D3/208
D433,562 S	*	11/2000	Redlinger	.....	D3/208
D463,105 S	*	9/2002	Tsai	.....	D3/207
D489,171 S	*	5/2004	Jackson	.....	D3/203.2

\* cited by examiner

*Primary Examiner*—Catherine R. Oliver

(74) *Attorney, Agent, or Firm*—Townsend and Townsend and Crew LLP

(57) **CLAIM**

The ornamental design for a combined hearing device removal tool, cap and holder, as shown and described.

**DESCRIPTION**

The present invention is related to commonly-owned and copending application for patent U.S. Prov. No. 60/542,773 for Removal Tool and Method for Extended Wear Canal Devices filed Feb. 6, 2004.

FIG. 1 is an exploded front view of the combined hearing device removal tool, cap and holder according to the present invention;

FIG. 2 is an exploded right side view of the combined hearing device removal tool, cap and holder;

FIG. 3 is an exploded rear view of the combined hearing device removal tool, cap and holder;

FIG. 4 is an exploded left side view of the combined hearing device removal tool, cap and holder;

FIG. 5 is an exploded perspective view of the present invention from the bottom, showing, in order from bottom to top the cap, removal tool and holder of the present invention;

FIG. 6 is a front elevation view of the combined hearing device removal tool, cap and holder;

FIG. 7 is a right elevation view thereof;

FIG. 8 is a rear elevation view thereof;


FIG. 9 is a left elevation view thereof;


FIG. 10 is a perspective view of the combined hearing device removal tool, cap and holder;

FIG. 11 is a top plan view of the combined hearing device removal tool, cap and holder according to the present invention; and,

FIG. 12 is a bottom plan view thereof.

**1 Claim, 3 Drawing Sheets**








FIG. 5




FIG. 10




FIG. 11




FIG. 12




FIG. 6




FIG. 7




FIG. 8




FIG. 9