

US00D509134S

(12) **United States Design Patent** (10) **Patent No.:** **US D509,134 S**
Maeno (45) **Date of Patent:** **** Sep. 6, 2005**

(54) **CARTRIDGE**

(75) Inventor: **Yoshihiro Maeno**, Osaka (JP)

(73) Assignee: **Suisei Kabushiki Kaisha**, Hyogo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/189,526**

(22) Filed: **Sep. 5, 2003**

(30) **Foreign Application Priority Data**

Apr. 30, 2003 (JP) 2003-012067
 Apr. 30, 2003 (JP) 2003-012068

(51) **LOC (8) Cl.** **09-07**

(52) **U.S. Cl.** **D9/434**

(58) **Field of Search** D9/434, 447, 448,
 D9/520, 537, 545; 141/15; 220/507, 552;
 222/129, 130, 383.1; 239/304, 305, 333

(56) **References Cited**

U.S. PATENT DOCUMENTS

D3,812 S * 1/1870 French D9/520
 D44,188 S * 6/1913 Steele D9/545
 D45,351 S * 3/1914 Pickard D9/520
 D71,779 S * 1/1927 Coty D9/520
 3,340,873 A * 9/1967 Solowey 215/DIG. 8
 3,870,147 A * 3/1975 Orth 222/129
 D246,600 S * 12/1977 Kurata D9/520
 5,246,142 A * 9/1993 DiPalma et al. 222/129
 5,529,216 A * 6/1996 Klima et al. 222/383.1
 D402,558 S * 12/1998 Klima et al. D9/448
 5,947,332 A * 9/1999 Klima et al. 222/130
 D421,387 S * 3/2000 Grimaldi D9/448
 6,290,100 B1 * 9/2001 Yacko et al. 222/129
 D483,266 S * 12/2003 Lee D9/520
 D483,676 S * 12/2003 Lee D9/520

* cited by examiner

Primary Examiner—Robert M. Spear

Assistant Examiner—Susan Bennett Hattan

(74) *Attorney, Agent, or Firm*—Akin Gump Strauss Hauer & Feld, LLP

(57) **CLAIM**

The ornamental design for a cartridge, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a cartridge in accordance with a first embodiment of my new design;
 FIG. 2 is a bottom perspective view thereof;
 FIG. 3 is a front elevational view thereof, a rear elevational view thereof being identical;
 FIG. 4 is a right-side elevational view thereof, a left-side elevational view thereof being identical;
 FIG. 5 is a top plan view thereof;
 FIG. 6 is a bottom plan view thereof;
 FIG. 7 is a right side elevational view thereof showing the cartridge in the environment it is used;
 FIG. 8 is a top perspective view of a cartridge in accordance with a second embodiment of my new design;
 FIG. 9 is a bottom perspective view of the second embodiment of FIG. 8;
 FIG. 10 is a front elevational view of the second embodiment of FIG. 8, a rear elevational view of the second embodiment of FIG. 8 being identical;
 FIG. 11 is a right-side elevational view of the second embodiment of FIG. 8, a left-side elevational view of the second embodiment of FIG. 8 being identical;
 FIG. 12 is a top plan view of the second embodiment of FIG. 8;
 FIG. 13 is a bottom plan view of the second embodiment of FIG. 8;
 FIG. 14 is a right side elevational view of the second embodiment of FIG. 8 showing the cartridge in the environment it is used;
 FIG. 15 is a top perspective view of a cartridge in accordance with a third embodiment of my new design;
 FIG. 16 is a bottom perspective view of the third embodiment of FIG. 15;
 FIG. 17 is a front elevational view of the third embodiment of FIG. 15, a rear elevational view of the third embodiment of FIG. 15 being identical;
 FIG. 18 is a right-side elevational view of the third embodiment of FIG. 15, a left-side elevational view of the third embodiment of FIG. 15 being identical;



FIG. 19 is a top plan view of the third embodiment of FIG. 15;

FIG. 20 is a bottom plan view of the third embodiment of FIG. 15;

FIG. 21 is a front elevational view of the third embodiment of FIG. 15 showing the cartridge in the environment it is used;

FIG. 22 is a top perspective view of a cartridge in accordance with a fourth embodiment of my new design;

FIG. 23 is a bottom perspective view of the fourth embodiment of FIG. 22;

FIG. 24 is a front elevational view of the fourth embodiment of FIG. 22, a rear elevational view of the fourth embodiment of FIG. 22 being identical;

FIG. 25 is a right-side elevational view of the fourth embodiment of FIG. 22, a left-side elevational view of the fourth embodiment of FIG. 22 being identical;

FIG. 26 is a top plan view of the fourth embodiment of FIG. 22;

FIG. 27 is a bottom plan view of the fourth embodiment of FIG. 22; and,

FIG. 28 is a front elevational view of the fourth embodiment of FIG. 22 showing the cartridge in the environment it is used.

The broken lines in the figures are for illustrative purposes only and form no part of the claimed design.

1 Claim, 12 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4

Fig. 7





Fig. 5




Fig. 6




Fig. 8




Fig. 9




Fig. 10




Fig. 11

Fig. 14





Fig. 12




Fig. 13




Fig. 15




Fig. 16




Fig. 17




Fig. 18

Fig. 21





Fig. 19




Fig. 20




Fig. 22




Fig. 23




Fig. 24




Fig. 25

Fig. 28





Fig. 26




Fig. 27