

US00D509143S

(12) **United States Design Patent**
Slat et al.

(10) **Patent No.:** **US D509,143 S**
(45) **Date of Patent:** **** Sep. 6, 2005**

(54) **BOTTLE**

(75) Inventors: **William A. Slat**, Brooklyn, MI (US);
Richard C. Darr, Medina, OH (US)

(73) Assignee: **Plastipak Packaging, Inc.**, Plymouth, MI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/219,296**

(22) Filed: **Dec. 15, 2004**

Related U.S. Application Data

(60) Division of application No. 29/186,044, filed on Jul. 8, 2003, which is a continuation-in-part of application No. 10/354,590, filed on Jan. 30, 2003.

(51) **LOC (8) Cl.** **09-01**

(52) **U.S. Cl.** **D9/538; D9/551; D9/554**

(58) **Field of Search** D9/500, 502, 516,
D9/538-541, 549-554, 557-558, 560, 563-567,
570, 574-575, 636, 643, 645, 652, 655,
657-658, 661, 664; 215/375, 382-384,
396, 398, 400

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D85,486 S * 11/1931 McPhee D9/640
- D104,179 S * 4/1937 Berk D9/550 X
- D113,872 S * 3/1939 Meyer D9/551
- D169,111 S * 3/1953 Smith D9/564 X
- D186,246 S * 9/1959 Fuerst et al. D9/551
- D186,472 S * 10/1959 Wunderly D9/554 X
- D216,615 S * 2/1970 Lawton D9/681
- D291,865 S * 9/1987 Carville D9/636
- D327,219 S * 6/1992 Hestehave et al. D9/553 X
- D424,928 S * 5/2000 Caldwell D9/538 X
- D429,164 S * 8/2000 Peek et al. D9/540
- 6,253,935 B1 * 7/2001 Fletcher 215/11.1
- D448,305 S * 9/2001 Warner et al. D9/554
- D465,385 S * 11/2002 Miller D7/531 X

- D480,649 S * 10/2003 Lim D9/551 X
- 6,857,531 B2 * 2/2005 Slat et al. 215/382
- D502,405 S * 3/2005 Dorn et al. D9/551
- 2001/0027978 A1 * 10/2001 Finlay et al. 220/669

* cited by examiner

Primary Examiner—Carol Rademaker

(74) *Attorney, Agent, or Firm*—Robert H. Bachman

(57) **CLAIM**

The ornamental design for a bottle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the bottle of the present invention;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a right side elevation view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a perspective view of a second embodiment of the bottle of the present invention;

FIG. 7 is a front elevation view thereof;

FIG. 8 is a right side elevation view thereof;

FIG. 9 is a top plan view thereof;

FIG. 10 is a bottom plan view thereof;

FIG. 11 is a perspective view of a third embodiment of the bottle of the present invention;

FIG. 12 is a front elevation view thereof;

FIG. 13 is a right side elevation view thereof;

FIG. 14 is a top plan view thereof;

FIG. 15 is a bottom plan view thereof;

FIG. 16 is a perspective view of a fourth embodiment of the bottle of the present invention;

FIG. 17 is a front elevation view thereof;


FIG. 18 is a right side elevation view thereof;

FIG. 19 is a top plan view thereof; and,

FIG. 20 is a bottom plan view thereof.

The broken lines shown in the Figures are for environment purposes and form no part of the claimed invention.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20