

US00D509201S

(12) **United States Design Patent**
Harris

(10) **Patent No.:** **US D509,201 S**
(45) **Date of Patent:** **** Sep. 6, 2005**

(54) **COMFORTABLE WIRELESS COMMUNICATION DEVICE**
(75) **Inventor:** **Arlene Joy Harris, Del Mar, CA (US)**
(73) **Assignee:** **Dyna LLC, Del Mar, CA (US)**
(**) **Term:** **14 Years**

D496,019 S * 9/2004 Okada et al. D14/138
D496,916 S * 10/2004 Wang et al. D14/138
D496,917 S * 10/2004 Brandis D14/138
D496,920 S * 10/2004 Peng et al. D14/138
D498,223 S * 11/2004 Ho et al. D14/138
D500,993 S * 1/2005 Hwang D14/138
D501,188 S * 1/2005 Zhu D14/138
2003/0122784 A1 * 7/2003 Shkolnikov 345/169
2004/0142735 A1 * 7/2004 Yi 455/575.3

(21) **Appl. No.:** **29/205,449**
(22) **Filed:** **May 10, 2004**
(51) **LOC (8) Cl.** **14-03**
(52) **U.S. Cl.** **D14/138**
(58) **Field of Search** D14/137, 138,
D14/147-148, 247-248, 144, 143, 341-347,
205, 206, 223; 379/433.01-433.13, 434,
430; 455/550.1-90.3, 575.3, 566, 575.1;
D21/517; 345/169

FOREIGN PATENT DOCUMENTS

WO DM/058448 * 12/2001

* cited by examiner

Primary Examiner—Jeffrey Asch
(74) *Attorney, Agent, or Firm*—Paul, Hastings, Janofsky & Walker LLP

(56) **References Cited**

U.S. PATENT DOCUMENTS

D282,544 S * 2/1986 Wu D14/147
D291,991 S * 9/1987 Lee D14/147
D292,581 S * 11/1987 Yoshiharu D14/147
D310,093 S * 8/1990 Sakaguchi et al. D18/7
D339,299 S * 9/1993 Kawashima D10/31
D359,733 S * 6/1995 Fellingner D14/138
D371,126 S * 6/1996 Bro D14/138
D424,558 S * 5/2000 Hong D14/143
D427,172 S * 6/2000 Bequir D14/138
D444,135 S * 6/2001 Park D14/148
D451,485 S * 12/2001 Moss D14/138
D460,429 S * 7/2002 Kolwaite D14/138
D465,466 S * 11/2002 Hyun D14/138
D489,343 S * 5/2004 Wang et al. D14/138
D494,167 S * 8/2004 Hirakawa et al. D14/345
D495,675 S * 9/2004 Nuovo et al. D14/144


(57) **CLAIM**

The ornamental design for a comfortable wireless communication device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a design for a comfortable wireless communication device wherein the wireless communication device is open;
FIG. 2 is a top plan view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a front elevational view thereof;
FIG. 7 is a rear elevational view thereof; and,
FIG. 8 is a perspective view of a design for a comfortable wireless communication device wherein the wireless communication device is closed.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8