

US00D509357S

(12) **United States Design Patent** (10) **Patent No.:** **US D509,357 S**
Perella et al. (45) **Date of Patent:** **** Sep. 13, 2005**

- (54) **CAMCORDER CASE**
- (75) Inventors: **Daniel Perella**, Hudson, OH (US);
Anthony Decarlo, Bay Village, OH (US); **Vincent Thomson**, Avon Lake, OH (US)
- (73) Assignee: **Ideastream Consumer Products LLC**, Parma, OH (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/212,558**
- (22) Filed: **Sep. 3, 2004**

Related U.S. Application Data

- (62) Division of application No. 29/180,362, filed on Apr. 23, 2003, now Pat. No. Des. 496,791.
- (51) **LOC (8) Cl.** **03-01**
- (52) **U.S. Cl.** **D3/267; D3/268; D3/273**
- (58) **Field of Search** D3/208, 215, 219, D3/225, 226, 243, 263, 267, 268, 270, 272, 273, 276, 283, 285, 287, 289-291, 301; D6/631; 119/72; 190/19, 37, 119, 120; 206/316.1, 316.2; 224/583, 612, 908; 353/72

References Cited

U.S. PATENT DOCUMENTS

1,533,856 A	4/1925	Harrison	
D67,730 S	6/1925	Wheary	D3/272
D129,108 S	8/1941	Sprague	
2,268,450 A	12/1941	Haggett	
2,626,025 A	1/1953	Sherman	
3,605,961 A	* 9/1971	Marrion	190/120
3,828,899 A	* 8/1974	Scott	190/120
4,119,181 A	* 10/1978	Jones	190/107
4,509,622 A	4/1985	Morszeck	190/119

D288,863 S	3/1987	Vuitton	D3/289
4,744,445 A	* 5/1988	Anderson et al.	190/107
D296,153 S	6/1988	Reichow	D6/631
4,813,542 A	* 3/1989	Thompson et al.	206/504
D337,657 S	* 7/1993	March et al.	D3/272
D340,574 S	* 10/1993	Weinreb	D3/268
D351,502 S	10/1994	Weir et al.	D3/272
D378,164 S	2/1997	Lee	D3/276
D386,614 S	11/1997	Smith	D3/291
D388,251 S	12/1997	Smith	D3/291
5,755,180 A	5/1998	Smith	119/72
D414,037 S	9/1999	Akaike et al.	D3/276
D415,614 S	10/1999	Akaike et al.	D3/276
D419,766 S	2/2000	Rekuc	D3/272
D467,423 S	12/2002	Wolf	D3/276
D496,791 S	* 10/2004	Perella et al.	D3/267
D497,252 S	* 10/2004	Perella et al.	D3/294
D498,049 S	* 11/2004	Perella et al.	D3/273

* cited by examiner

Primary Examiner—Celia A. Murphy

(74) *Attorney, Agent, or Firm*—Pillsbury Winthrop LLP

(57) **CLAIM**

The ornamental design for a camcorder case, as shown and described.

DESCRIPTION

FIG. 1 is perspective view of a camcorder case embodying our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;



FIG. 4 is a left side elevational view thereof, the right side being a mirror image;

FIG. 5 is a top plan view thereof; and,

FIG. 6 is a perspective view thereof, showing an attached shoulder strap.

The broken line showing of a shoulder strap illustrates the portion of the design that forms no part of the claim.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6