

US00D509495S

(12) **United States Design Patent** (10) **Patent No.:** **US D509,495 S**
Ribeiro et al. (45) **Date of Patent:** **** Sep. 13, 2005**

(54) **COMMUNICATION DEVICE**

(75) Inventors: **Claudio Santiago Ribeiro**, Evanston, IL (US); **Thomas D. Boucquey**, Chicago, IL (US)

(73) Assignee: **Motorola, Inc.**, Schaumburg, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/206,865**

(22) Filed: **Jun. 4, 2004**

(51) **LOC (8) Cl.** **14-03**

(52) **U.S. Cl.** **D14/138**

(58) **Field of Search** D14/137, 138, D14/147-148, 247-248, 144, 341-347; 379/433.01-433.13, 434; 455/550.1-90.3, 575.3, 566, 575.1; D21/517

(56) **References Cited**

U.S. PATENT DOCUMENTS

D445,410 S	*	7/2001	Yoo et al.	D14/138
D445,771 S	*	7/2001	Kim	D14/138
D449,284 S	*	10/2001	Kim et al.	D14/138
D458,594 S	*	6/2002	Jang	D14/138
D465,466 S	*	11/2002	Hyun	D14/138
D475,688 S	*	6/2003	Pierce et al.	D14/138
D476,302 S	*	6/2003	Hwang et al.	D14/138
D477,295 S	*	7/2003	Chung	D14/138
D477,296 S	*	7/2003	Minamide	D14/138
D481,696 S	*	11/2003	Wei et al.	D14/138
D481,697 S	*	11/2003	Rausch et al.	D14/138
D483,342 S	*	12/2003	Lee et al.	D14/138
D485,248 S	*	1/2004	Ogawa	D14/138
D485,249 S	*	1/2004	Liao et al.	D14/138
D485,818 S	*	1/2004	Yabe et al.	D14/138
D486,810 S	*	2/2004	Chung	D14/138
D487,439 S	*	3/2004	Arnholt et al.	D14/138
D491,547 S	*	6/2004	Cho	D14/138
D494,946 S	*	8/2004	Rausch et al.	D14/138
D496,018 S	*	9/2004	Koo et al.	D14/138
D496,347 S	*	9/2004	Choi et al.	D14/191

D499,390 S	*	12/2004	Cho	D14/138
D500,481 S	*	1/2005	Kim et al.	D14/138
2003/0148742 A1	*	8/2003	Kim	455/90
2004/0109559 A1	*	6/2004	Lee	379/433.04
2004/0132513 A1	*	7/2004	Taneda et al.	455/575.3
2004/0248625 A1	*	12/2004	Yoshida et al.	455/575.1
2005/0003852 A1	*	1/2005	Song	455/550.1

FOREIGN PATENT DOCUMENTS

JP D1185425 * 9/2003

* cited by examiner

Primary Examiner—Jeffrey Asch

(74) *Attorney, Agent, or Firm*—Hisashi D. Watanabe

(57) **CLAIM**

The ornamental design for a housing for a communication device, as shown.

DESCRIPTION

FIG. 1 is a front, side and top perspective view of a first embodiment of an ornamental design for a communication device.

FIG. 2 is a front view of the embodiment of FIG. 1.

FIG. 3 is a rear view of the embodiment of FIG. 1.

FIG. 4 is a left side view of the embodiment of FIG. 1.

FIG. 5 is a right side view of the embodiment of FIG. 1.

FIG. 6 is a top view of the embodiment of FIG. 1.

FIG. 7 is a bottom view of the embodiment of FIG. 1.

FIG. 8 is a front, side and top perspective view of a second embodiment of an ornamental design for a communication device.

FIG. 9 is a front view of the embodiment of FIG. 8.

FIG. 10 is a rear view of the embodiment of FIG. 8.

FIG. 11 is a left side view of the embodiment of FIG. 8;


FIG. 12 is a right side view of the embodiment of FIG. 8.

FIG. 13 is a top view of the embodiment of FIG. 8; and,

FIG. 14 is a bottom view of the embodiment of FIG. 8.

The broken line portions of the drawings form no part of the claimed design or a specific embodiment thereof.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14