

US00D509592S

(12) **United States Design Patent**
Talbot et al.

(10) **Patent No.:** **US D509,592 S**
(45) **Date of Patent:** **** Sep. 13, 2005**

(54) **STIMULATION DEVICE**

(75) Inventors: **Nicholas Charles Talbot**, London (GB); **Richard Martyn Smith**, London (GB)

(73) Assignee: **LRC Products Limited**, London (GB)

(**) Term: **14 Years**

(21) Appl. No.: **29/198,059**

(22) Filed: **Jan. 23, 2004**

(30) **Foreign Application Priority Data**

Jul. 25, 2003 (GB) 3013818

(51) **LOC (8) Cl.** **28-03**

(52) **U.S. Cl.** **D24/215; D24/214**

(58) **Field of Search** **D24/215, 214, D24/200, 211; 601/46, 48, 101, 87, 84, 80, 70, 67**

(56) **References Cited**

U.S. PATENT DOCUMENTS

D362,307 S * 9/1995 Cirone D24/211
6,432,072 B1 * 8/2002 Harris et al. 601/70
6,679,857 B1 * 1/2004 Bastia et al. D24/215

* cited by examiner

Primary Examiner—Ian Simmons

(74) *Attorney, Agent, or Firm*—Stinson Morrison Hecker LLP

(57) **CLAIM**

The ornamental design for a stimulation device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the stimulation device in accordance with the design of the present invention;

FIG. 2 is a front end elevational view of the stimulation device of FIG. 1;

FIG. 3 is a rear end elevational view of the stimulation device of FIG. 1;


FIG. 4 is an elevational view from one side of the stimulation device of FIG. 1;

FIG. 5 is an elevational view from the other side of the stimulation device of FIG. 1;

FIG. 6 is a top plan view of the stimulation device of FIG. 1; and,

FIG. 7 is a bottom plan view of the stimulation device of FIG. 1.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig.6




Fig.7