

US00D509802S

(12) **United States Design Patent** (10) **Patent No.:** **US D509,802 S**
Davison (45) **Date of Patent:** **** Sep. 20, 2005**

(54) **NOVELTY CORD ATTACHMENT** 5,724,681 A * 3/1998 Sykes 2/425
 5,800,762 A 9/1998 Bethel
 (76) Inventor: **Gabrielle D. Davison**, 510 Finks 6,042,418 A 3/2000 Cummings
 Hideaway Rd. #165, Monroe, LA (US) D445,093 S * 7/2001 Staskey D13/156
 71203 6,401,258 B1 * 6/2002 Wilson 2/410

(**) Term: **14 Years**

* cited by examiner

Primary Examiner—Holly Baynham
Assistant Examiner—Cynthia M. Chin

(21) Appl. No.: **29/206,411**

(22) Filed: **Jun. 1, 2004**

(57) **CLAIM**

(51) **LOC (8) Cl.** **13-03**
 (52) **U.S. Cl.** **D13/154**
 (58) **Field of Search** D13/154, 156;
 379/438; 439/136, 367, 501; 174/36, 66,
 68.3, 135; D3/271.4; D29/102; 2/410, 411,
 421, 425, 424

The ornamental design for a novelty cord attachment, as shown and described.

DESCRIPTION


(56) **References Cited**

U.S. PATENT DOCUMENTS

4,702,443 A 10/1987 Callaway
 D296,322 S * 6/1988 Collins D13/155
 4,939,778 A * 7/1990 Tomberlin 379/438
 5,397,243 A 3/1995 MacMurdo, Sr.
 D365,680 S * 1/1996 Steinfelds, III D3/271.4
 D379,904 S * 6/1997 Joyce D7/606
 5,707,594 A 1/1998 Austin

FIG. 1 is a right side elevational view of a novelty cord attachment showing my new design;
 FIG. 2 is a left side elevational view thereof;
 FIG. 3 is a rear elevational view thereof;
 FIG. 4 is a front elevational view thereof;
 FIG. 5 is a bottom plan view thereof;
 FIG. 6 is a top plan view thereof; and,
 FIG. 7 is a side elevational view showing the present invention assembled in a preferred environment.
 The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1






FIG. 2






FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7