

US00D509958S

(12) **United States Design Patent**  
**Singh**

(10) **Patent No.: US D509,958 S**

(45) **Date of Patent: \*\* Sep. 27, 2005**

(54) **TOOL CASE**

(75) **Inventor: Satnam Singh, Waterloo (CA)**

(73) **Assignee: Maxtech Manufacturing Inc.,  
Waterloo (CA)**

(\*\*) **Term: 14 Years**

|             |         |          |         |
|-------------|---------|----------|---------|
| 5,887,715 A | 3/1999  | Vasudeva | 206/373 |
| 5,918,741 A | 7/1999  | Vasudeva | 206/376 |
| 6,044,973 A | 4/2000  | Vasudeva | 206/372 |
| 6,105,767 A | 8/2000  | Vasudeva | 206/372 |
| 6,105,770 A | 8/2000  | Vasudeva | 206/378 |
| D434,561 S  | 12/2000 | Vasudeva | D3/282  |
| D434,562 S  | 12/2000 | Huang    | D3/282  |
| D474,340 S  | 5/2003  | Vasudeva | D3/282  |

(21) **Appl. No.: 29/182,061**

(22) **Filed: May 19, 2003**

(51) **LOC (8) Cl. .... 03-01**

(52) **U.S. Cl. .... D3/282; D3/276; D3/905**

(58) **Field of Search .... D3/273, 274, 276,  
D3/281, 282, 294, 905; 206/349, 372, 373,  
379; 312/902**

**FOREIGN PATENT DOCUMENTS**

|    |                  |         |
|----|------------------|---------|
| CA | REG. NO. 83390   | 2/2003  |
| CA | REG. NO. 96376   | 6/2003  |
| DE | 4 01 07 221.5    | 8/2001  |
| DE | 4 02 01 275.5    | 2/2002  |
| FR | REG. NO. 01 4635 | 8/2002  |
| FR | 677 076/ 677 114 | 11/2002 |

\* cited by examiner

*Primary Examiner*—Philip S. Hyder

(74) *Attorney, Agent, or Firm*—Fulbright & Jaworski LLP

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|             |          |                |           |
|-------------|----------|----------------|-----------|
| D188,583 S  | 8/1960   | Moss           | D87/5     |
| 3,154,192 A | 10/1964  | Cowley         | 206/17    |
| D250,433 S  | 11/1978  | Malcolm        | D87/1 R   |
| 4,449,629 A | 5/1984   | Barrieau       | 206/45.19 |
| D293,740 S  | 1/1988   | Nadeau         | D3/73     |
| D309,832 S  | * 8/1990 | Hung           | D3/282    |
| D331,662 S  | 12/1992  | Melk           | D3/76     |
| 5,178,282 A | 1/1993   | Williams       | 206/570   |
| 5,203,469 A | 4/1993   | Chang et al.   | 220/331   |
| D363,937 S  | 11/1995  | Marks et al.   | D14/253   |
| 5,520,285 A | 5/1996   | Mursch et al.  | 206/526   |
| 5,526,929 A | 6/1996   | Wei            | 206/378   |
| D382,115 S  | 8/1997   | Chang          | D3/282    |
| 5,803,254 A | 9/1998   | Vasudeva       | 206/373   |
| D400,010 S  | 10/1998  | Vasudeva       | D3/276    |
| D403,860 S  | * 1/1999 | Ritchie et al. | D3/282    |


(57) **CLAIM**

I claim the ornamental design for tool case, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a tool case showing my new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a front elevational view thereof;  
FIG. 4 is a right side elevational view thereof;  
FIG. 5 is a rear elevational view thereof;  
FIG. 6 is a left side elevational view thereof; and,  
FIG. 7 is a bottom plan view thereof.

**1 Claim, 3 Drawing Sheets**






FIG.1




FIG. 2




FIG. 3




FIG. 4






FIG. 5




FIG. 6




FIG. 7