



US00D510013S

(12) **United States Design Patent** (10) **Patent No.:** **US D510,013 S**
Roychowdhury (45) **Date of Patent:** **** Sep. 27, 2005**

(54) **SWITCHPLATE**
 (75) Inventor: **Ranobir Roychowdhury**, Cherry Hill, NJ (US)
 (73) Assignee: **Brass Elegans Inc.**, Cherry Hill, NJ (US)
 (**) Term: **14 Years**

D283,298 S 4/1986 Turpin
 D284,261 S 6/1986 Sorenson
 D290,338 S 6/1987 Tegner
 D297,396 S 8/1988 Schwalbe
 D298,028 S 10/1988 Mizobata
 D301,336 S 5/1989 Copeland
 D301,872 S 6/1989 Copeland
 D311,371 S 10/1990 Jacoby
 D314,184 S 1/1991 Mongeau

(Continued)

(21) Appl. No.: **29/206,984**
 (22) Filed: **Jun. 7, 2004**

Primary Examiner—Stella Reid
Assistant Examiner—Mark A. Goodwin
 (74) *Attorney, Agent, or Firm*—Caesar, Rivise, Bernstein, Cohen & Pokotilow, Ltd.

(51) **LOC (8) Cl.** **11-05**
 (52) **U.S. Cl.** **D8/353**
 (58) **Field of Search** D8/350–353; D10/123,
 D10/108, 125; D13/171, 169, 158, 174;
 174/66, 67

(57) **CLAIM**

The ornamental design for a switchplate, as shown and described.

(56) **References Cited**


DESCRIPTION

U.S. PATENT DOCUMENTS

D16,015 S	*	3/1885	Niles	D8/302
D69,811 S	*	4/1926	Auld	D8/350
D70,108 S	*	5/1926	Gottlicher	D8/350
D75,982 S	*	8/1928	Punke	D8/350
D76,926 S	*	11/1928	Geloso	D14/257
D79,926 S	*	11/1929	Grier	D8/353
D84,203 S	*	5/1931	Pickard	D8/351
D92,326 S	*	5/1934	Steele et al.	D8/353
D107,642 S	*	12/1937	Fazekas	D8/353
D243,653 S	*	3/1977	Fine	D8/353
D243,918 S		4/1977	Creamer		
D243,921 S		4/1977	Creamer		
D243,922 S		4/1977	Grieb		
D244,082 S		4/1977	Creamer		
D246,571 S		12/1977	Grieb		
D260,233 S		8/1981	Goldstein et al.		
D262,261 S		12/1981	Schumacher et al.		
D264,425 S		5/1982	Nippel et al.		
D265,457 S		7/1982	Littlefield		
D265,883 S		8/1982	Littlefield		
D276,976 S		1/1985	Tegner		
D280,485 S		9/1985	M'Sadoques et al.		
D282,524 S		2/1986	Armitage		

FIG. 1 is a front view of a switchplate showing my new design.
 FIG. 2 is an end view, with the opposite end being a mirror image thereof;
 FIG. 3 is a side view, with the opposite side being a mirror image thereof;
 FIG. 4 is a front view of a second embodiment of a switchplate showing my new design.
 FIG. 5 is an end view, with the opposite end being a mirror image thereof;
 FIG. 6 is a side view, with the opposite side being a mirror image thereof;
 FIG. 7 is a front view of a third embodiment of a switchplate showing my new design.
 FIG. 8 is an end view, with the opposite end being a mirror image thereof; and,
 FIG. 9 is a side view, with the opposite side being a mirror image thereof.
 The broken lines shown in FIGS. 1–9 are for illustrative purposes only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets



US D510,013 S

Page 2

U.S. PATENT DOCUMENTS

D314,556 S	2/1991	Aggson	D407,072 S	3/1999	Gaule
D315,546 S	3/1991	Mongeau	D408,018 S	4/1999	McNaughton
D316,250 S	4/1991	Mongeau	D412,886 S	8/1999	Doran
D343,642 S	1/1994	Ho	D415,472 S	10/1999	Kelso et al.
D346,363 S	4/1994	Tuao	D429,994 S	8/2000	Ziegler
D346,949 S	5/1994	Comerci et al.	D430,114 S	8/2000	Bachschmid et al.
D348,797 S	7/1994	Brady	D440,949 S	4/2001	Hadley
D351,376 S	10/1994	Hughes	D455,406 S	4/2002	Pinchuk
D355,643 S	2/1995	Warnock et al.	D461,113 S	8/2002	Aubert Capella
D360,876 S	8/1995	Hughes	D461,114 S	8/2002	Aubert Capella
D387,330 S	12/1997	Danchulis	D461,393 S	8/2002	Aubert Capella
D399,495 S	10/1998	Bachschmid	D465,144 S	11/2002	Lai
D402,271 S	12/1998	Weinberg	D427,086 S	3/2003	Pruitt et al.
D402,272 S	12/1998	Mezey	D476,628 S	7/2003	Millar
D405,347 S	2/1999	Mezey	D491,603 S	6/2004	Warkentin

* cited by examiner




FIG. 3




FIG. 1



FIG. 2



FIG. 6




FIG. 4



FIG. 5




FIG. 7



FIG. 9




FIG. 8