



US00D510087S

(12) **United States Design Patent** (10) **Patent No.:** **US D510,087 S**
Montgomery et al. (45) **Date of Patent:** **** Sep. 27, 2005**

(54) **PORTABLE ELECTRONIC DEVICE**
 (75) Inventors: **Paul Montgomery**, Kentfield, CA (US);
Peter Phillips, Palo Alto, CA (US)
 (73) Assignee: **Socket Communications, Inc.**, Newark,
 CA (US)
 (**) Term: **14 Years**

D454,557 S 3/2002 Do et al. D14/242
 D456,412 S 4/2002 Khovaylo et al. D14/420
 D461,180 S 8/2002 Van Egmond et al. D14/240
 D461,466 S 8/2002 Oakley et al. D14/242
 D462,955 S 9/2002 Van Note et al. D14/315
 D463,793 S * 10/2002 Viippola D14/240
 D464,341 S 10/2002 Tanaka D14/242
 D464,623 S * 10/2002 Pogagetz et al. D13/123
 D464,959 S 10/2002 Do et al. D14/242
 D465,481 S * 11/2002 Haaparanta D14/242

(21) Appl. No.: **29/217,791**
 (22) Filed: **Nov. 22, 2004**

(51) **LOC (8) Cl.** **14-03**
 (52) **U.S. Cl.** **D14/240**
 (58) **Field of Search** D14/240, 242,
 D14/299, 140; D13/123, 184, 199; 361/600,
 728, 730, 622, 641; 455/3.01, 3.06, 553.1;
 379/900, 908, 441, 67.1, 219-220.01

(56) **References Cited**
U.S. PATENT DOCUMENTS

D295,752 S	5/1988	MacKenzie et al.	D14/107
D339,115 S	9/1993	Eilertsen	D14/107
D363,064 S	10/1995	Rogov	D14/114
D385,535 S	10/1997	Summit et al.	D14/107
D406,849 S	3/1999	Tanaka	D14/242
D410,469 S	6/1999	Sathikh	D14/242
D413,894 S	* 9/1999	Matthews et al.	D14/240
D416,023 S	* 11/1999	Du	D14/242
D417,223 S	11/1999	Groves et al.	D14/242
D417,453 S	12/1999	Du	D14/242
D425,021 S	* 5/2000	Ko	D13/123
D431,557 S	10/2000	Lutz, Jr. et al.	D14/242
D437,289 S	* 2/2001	Chase et al.	D13/123
D445,110 S	* 7/2001	MacLeod	D14/433
D446,207 S	* 8/2001	Matthes et al.	D14/299
D449,600 S	* 10/2001	Gallahan et al.	D14/299
D453,331 S	2/2002	Probasco et al.	D14/240
D453,507 S	2/2002	Probasco et al.	D14/240
D454,137 S	3/2002	Yamano et al.	D14/453

(Continued)

Primary Examiner—Charles A. Rademaker
 (74) *Attorney, Agent, or Firm*—Patent Ventures; Bennett
 Smith; Korbin Van Dyke

(57) **CLAIM**


The ornamental design for a portable electronic device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of portable electronic device showing our new design, the front perspective view of a modified embodiment of this design being identical; FIG. 2 is a top plan view thereof, the top plan view of a modified embodiment thereof being identical; FIG. 3 is a front elevation thereof, the front elevation of a modified embodiment thereof being identical; FIG. 4 is a right elevation thereof, the side opposite being a mirror image; FIG. 5 is a rear elevation thereof, the rear elevation of a modified embodiment being identical; FIG. 6 is a bottom plan view thereof; FIG. 7 is a right side elevation of the modified embodiment thereof, the side opposite being a mirror image thereof; and, FIG. 8 is a bottom plan view of the modified embodiment thereof.

The broken line showing of environment is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets



US D510,087 S

Page 2

U.S. PATENT DOCUMENTS

D470,852 S	2/2003	Kim	D14/439	D480,390 S	10/2003	Miao et al.	D14/240
D471,540 S	3/2003	Tomino et al.	D14/240	D484,120 S	12/2003	Yin et al.	D14/240
D471,900 S	* 3/2003	Saunders et al.	D14/240	D487,079 S	2/2004	Asawa	D14/242
D473,547 S	4/2003	Tanaka	D14/242	D489,070 S	4/2004	Chatterjee	D14/433
D480,075 S	9/2003	Tanaka	D14/242	D493,165 S	7/2004	Kiple et al.	D14/242

* cited by examiner




Fig. 1




Fig. 2




Fig. 4




Fig. 6




Fig. 7




Fig. 8




Fig. 5




Fig. 3