



US00D510149S

(12) **United States Design Patent** (10) **Patent No.:** **US D510,149 S**  
**Huang** (45) **Date of Patent:** **\*\* Sep. 27, 2005**

- (54) **STRAIGHT LED MARKER LIGHTS FOR VEHICLE**
- (75) Inventor: **Nan Huang Huang**, Rancho Palos Verdes, CA (US)
- (73) Assignee: **Grand General Accessories Manufacturing Inc.**, Compton, CA (US)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/217,523**
- (22) Filed: **Nov. 17, 2004**
- (51) **LOC (8) Cl.** ..... **26-06**
- (52) **U.S. Cl.** ..... **D26/28; D26/2**
- (58) **Field of Search** ..... **D26/28-36; 362/61, 362/80, 81, 82, 83, 83.4, 267, 269, 275, 330-340**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D434,510 S	*	11/2000	Lodhie	.....	D26/2
D458,696 S	*	6/2002	Katogi et al.	.....	D26/2
D474,848 S	*	5/2003	Lodhie	.....	D26/2
D492,804 S	*	7/2004	Horowitz	.....	D26/28

\* cited by examiner

*Primary Examiner*—Marcus A. Jackson  
(74) *Attorney, Agent, or Firm*—Thomas I. Rozsa; Tony D. Chen

(57) **CLAIM**

The ornamental design for straight LED marker lights for vehicle, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of my invention of a new design

of straight LED marker lights for vehicle, showing a preferred embodiment of the new design with four (4) light emitting diodes (LEDs);

FIG. 2 is a top view of the embodiment shown in FIG. 1; FIG. 3 is a bottom view of the embodiment shown in FIG. 1;

FIG. 4 is a left side elevation view of the embodiment shown in FIG. 1, the opposite right side elevation view being identical;

FIG. 5 is a front elevation view of the embodiment shown in FIG. 1, the opposite back elevation view being identical;

FIG. 6 is a perspective view of my invention of a new design of straight LED marker lights for vehicle, showing a preferred alternative embodiment of the new design with six (6) LEDs;

FIG. 7 is a top view of the embodiment shown in FIG. 6; FIG. 8 is a bottom view of the embodiment shown in FIG. 6;

FIG. 9 is a left side elevation view of the embodiment shown in FIG. 6, the opposite right side elevation view being identical;

FIG. 10 is a front elevation view of the embodiment shown in FIG. 6, the opposite back elevation view being identical;

FIG. 11 is a perspective view of my invention of a new design of straight LED marker lights for vehicle, showing another preferred alternative embodiment of the new design with eight (8) LEDs;


FIG. 12 is a top view of the embodiment shown in FIG. 11; FIG. 13 is a bottom view of the embodiment shown in FIG. 11;

FIG. 14 is a left side elevation view of the embodiment shown in FIG. 11, the opposite right side elevation view being identical;

FIG. 15 is a front elevation view of the embodiment shown in FIG. 11; and,

FIG. 16 is a back elevation view of the embodiment shown in FIG. 11.

**1 Claim, 3 Drawing Sheets**






FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16