



US00D510268S

(12) **United States Design Patent** (10) **Patent No.:** **US D510,268 S**
Blanchester (45) **Date of Patent:** **** Oct. 4, 2005**

(54) **CAP ARRANGEMENT FOR A BOTTLE**

DESCRIPTION

(76) Inventor: **Tom Blanchester**, Ste. 248, 1348
Washington Ave., Miami Beach, FL
(US) 33139

(**) Term: **14 Years**

(21) Appl. No.: **29/177,806**

(22) Filed: **Mar. 16, 2003**

(30) **Foreign Application Priority Data**

Sep. 18, 2002 (SE) 02-1363

(51) **LOC (8) Cl.** **09-07**

(52) **U.S. Cl.** **D9/449; D9/448**

(58) **Field of Search** D9/445-450, 435-436,
D9/440, 442, 452, 542, 537, 545, 550,
302, 503, 504, 505, 520, 529, 350, 300;
222/321, 107; 220/711, 339, 345, 714-715;
D7/392.1

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,213,235 A * 5/1993 Miranda 222/107
D445,335 S * 7/2001 Hou D9/447

* cited by examiner

Primary Examiner—Robert M. Spear
Assistant Examiner—Susan Bennett Hattan
(74) *Attorney, Agent, or Firm*—Yi Li

(57) **CLAIM**

The ornamental design for a cap arrangement for a bottle, as shown and described.

FIG. 1 is a rear perspective view of a cap arrangement for a bottle with the lid in an open condition, showing an embodiment of my new design;

FIG. 2 is a front perspective view of the embodiment shown in FIG. 1;

FIG. 3 is a rear view of the embodiment shown in FIG. 1;

FIG. 4 is a front view of the embodiment shown in FIG. 1;

FIG. 5 is a right side view of the embodiment shown in FIG. 1;

FIG. 6 is a left side view of the embodiment shown in FIG. 1;

FIG. 7 is a cross sectional view of the embodiment shown in FIG. 1, shown along line 7—7 of FIG. 2;

FIG. 8 is a bottom view of the embodiment shown in FIG. 1 with the lid in an open condition;

FIG. 9 is a top view of the embodiment shown in FIG. 1 with the lid in an open condition;

FIG. 10 is a bottom view of a variation of the embodiment shown in FIG. 8 with the lid in an open condition;

FIG. 11 is a top view of the embodiment shown in FIG. 10 with the lid in an open condition;


FIG. 12 is a rear view of the top portion of the embodiment shown in FIG. 1 with the lid in a closed condition, shown separately for ease of illustration.

FIG. 13 is a side view of the top portion of the embodiment shown in FIG. 1 with the lid in a closed condition, shown separately for ease of illustration.

FIG. 14 is a right side view of the embodiment shown in FIG. 10; and,

FIG. 15 is a left side view of the embodiment shown in FIG. 10.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15