

US00D510279S

(12) **United States Design Patent** (10) **Patent No.:** **US D510,279 S**
Okouchi (45) **Date of Patent:** **** Oct. 4, 2005**

(54) **CARRIER TAPE**

(75) Inventor: **Eiji Okouchi**, Tokyo-to (JP)

(73) Assignee: **Sumitomo Bakelite Co., Ltd.**, Tokyo-to (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/180,355**

(22) Filed: **Apr. 23, 2003**

(30) **Foreign Application Priority Data**

Oct. 23, 2002 (JP) 2002-028929
Oct. 23, 2002 (JP) 2002-028930

(51) **LOC (8) Cl.** **09-03**

(52) **U.S. Cl.** **D9/756**

(58) **Field of Search** D9/756, 759; 220/23.83,
220/23.4; 206/713; 257/688

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,898,275 A * 2/1990 Skrtic et al. 206/526
4,961,984 A * 10/1990 Takeda 428/192
5,046,610 A * 9/1991 Runyon et al. 206/713
5,101,975 A * 4/1992 Runyon et al. 206/713
6,293,404 B1 * 9/2001 Bloom 206/714

FOREIGN PATENT DOCUMENTS

JP 2002-68288 3/2002

* cited by examiner

Primary Examiner—Holly Baynham

(74) *Attorney, Agent, or Firm*—Finnegan, Henderson, Farabow, Garrett & Dunner, LLP

(57) **CLAIM**

The ornamental design for a carrier tape, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a carrier tape showing my new design;

FIG. 2 is a front elevational view of FIG. 1;

FIG. 3 is a rear elevational view of FIG. 1;

FIG. 4 is a bottom plan view of FIG. 1;

FIG. 5 is a right side elevational view of FIG. 1;

FIG. 6 is a left side elevational view of FIG. 1;

FIG. 7 is a sectional view taken along the line A—A of FIG. 1;

FIG. 8 is a sectional view taken along the line B—B of FIG. 1;

FIG. 9 is a top plan view of a carrier tape showing an alternative design;

FIG. 10 is a front elevational view of FIG. 9;

FIG. 11 is a rear elevational view of FIG. 9;

FIG. 12 is a bottom plan view of FIG. 9;

FIG. 13 is a right side elevational view of FIG. 9;


FIG. 14 is a left side elevational view of FIG. 9;

FIG. 15 is a sectional view taken along the line A—A of FIG. 9; and,

FIG. 16 is a sectional view taken along the line B—B of FIG. 9.

The broken line showing of surrounding carrier tape structure is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8






FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 510,279 S
APPLICATION NO. : 29/180355
DATED : October 4, 2005
INVENTOR(S) : Eiji Okouchi

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Description, line 8, "A-A" should read --7-7--.


In the Description, line 10, "B-B" should read --8-8--.

In the Description, line 19, "A-A" should read --15-15--.

In the Description, line 20, "B-B" should read --16-16--.

Signed and Sealed this

Fifth Day of February, 2008

A handwritten signature in black ink, reading "Jon W. Dudas". The signature is stylized, with a large, looped initial "J" and a cursive "Dudas".

JON W. DUDAS
Director of the United States Patent and Trademark Office