

US00D510296S

(12) **United States Design Patent** (10) **Patent No.:** **US D510,296 S**  
**Uehara** (45) **Date of Patent:** **\*\* Oct. 4, 2005**

(54) **BUCKLE**

(75) Inventor: **Ryoichiro Uehara, Tokyo (JP)**

(73) Assignee: **YKK Corporation (JP)**

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/209,425**

(22) Filed: **Jul. 16, 2004**

**Related U.S. Application Data**

(62) Division of application No. 29/181,650, filed on May 15, 2003, now Pat. No. Des. 495,622.

(30) **Foreign Application Priority Data**

Nov. 15, 2002 (JP) ..... 2002-031472  
Nov. 15, 2002 (JP) ..... 2002-031473

(51) **LOC (8) Cl.** ..... **02-07**

(52) **U.S. Cl.** ..... **D11/216**

(58) **Field of Search** ..... D11/200, 201,  
D11/208-210, 212-218, 220, 230-234,  
237, 86-87, 94; 63/15.2, 15; 24/307, 625,  
616, 200, 196, 171, 169, 112

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D379,161 S 5/1997 Matoba  
D467,521 S 12/2002 Yoshiguchi  
D475,654 S 6/2003 Yoshiguchi  
D495,622 S \* 9/2004 Uehara ..... D11/216  
D496,302 S \* 9/2004 Kaneko et al. .... D11/216  
D496,304 S \* 9/2004 Uehara et al. .... D11/216

\* cited by examiner

*Primary Examiner*—Ralf Seifert

(74) *Attorney, Agent, or Firm*—Finnegan, Henderson, Farabow, Garrett & Dunner L.L.P.

(57) **CLAIM**

The ornamental design for a buckle, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a buckle showing my new design;

FIG. 2 is a front-elevational view of the embodiment of FIG. 1;

FIG. 3 is a cross-sectional view taken along the line 3—3 in FIG. 2;

FIG. 4 is a rear view of the embodiment of FIG. 1;

FIG. 5 is a right-side view of the embodiment of FIG. 1, the left-side view being a mirror image thereof;

FIG. 6 is a top-plan view of the embodiment of FIG. 1;

FIG. 7 is a bottom-plan view of the embodiment of FIG. 1;

FIG. 8 is a front view of a male member of the embodiment of FIG. 1;

FIG. 9 is a rear view of the male member of FIG. 8;

FIG. 10 is a right-side view of the male member of FIG. 8, the left-side view being a mirror image thereof;

FIG. 11 is a top-plan view of the male member of FIG. 8;

FIG. 12 is a bottom-plan view of the male member of FIG. 8;

FIG. 13 is a front-elevational view of a female member of the embodiment of FIG. 1;


FIG. 14 is a rear view of the female member of FIG. 13;


FIG. 15 is a right-side view of the female member of FIG. 13, the left-side view being a mirror image thereof;

FIG. 16 is a top-plan view of FIG. 13; and,


FIG. 17 is a bottom-plan view of FIG. 13.

**1 Claim, 4 Drawing Sheets**







**FIG. 1**




**FIG. 2**




**FIG. 3**




***FIG. 4***




***FIG. 5***




***FIG. 6***




***FIG. 7***




**FIG. 8**




**FIG. 9**



**FIG. 10**




**FIG. 11**




**FIG. 12**







**FIG. 13**




**FIG. 14**



**FIG. 15**



**FIG. 16**



**FIG. 17**