



US00D510296S

(12) **United States Design Patent**
Uehara

(10) **Patent No.:** **US D510,296 S**
(45) **Date of Patent:** **** Oct. 4, 2005**

- (54) **BUCKLE**
- (75) Inventor: **Ryoichiro Uehara, Tokyo (JP)**
- (73) Assignee: **YKK Corporation (JP)**
- (**) Term: **14 Years**
- (21) Appl. No.: **29/209,425**
- (22) Filed: **Jul. 16, 2004**

Related U.S. Application Data

- (62) Division of application No. 29/181,650, filed on May 15, 2003, now Pat. No. Des. 495,622.

(30) **Foreign Application Priority Data**

- Nov. 15, 2002 (JP) 2002-031472
- Nov. 15, 2002 (JP) 2002-031473
- (51) **LOC (8) Cl.** **02-07**
- (52) **U.S. Cl.** **D11/216**
- (58) **Field of Search** D11/200, 201,
D11/208-210, 212-218, 220, 230-234,
237, 86-87, 94; 63/15.2, 15; 24/307, 625,
616, 200, 196, 171, 169, 112

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D379,161 S 5/1997 Matoba
- D467,521 S 12/2002 Yoshiguchi
- D475,654 S 6/2003 Yoshiguchi
- D495,622 S * 9/2004 Uehara D11/216
- D496,302 S * 9/2004 Kaneko et al. D11/216
- D496,304 S * 9/2004 Uehara et al. D11/216

* cited by examiner

Primary Examiner—Ralf Seifert
(74) *Attorney, Agent, or Firm*—Finnegan, Henderson, Farabow, Garrett & Dunner L.L.P.


(57) **CLAIM**

The ornamental design for a buckle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a buckle showing my new design;
 FIG. 2 is a front-elevational view of the embodiment of FIG. 1;
 FIG. 3 is a cross-sectional view taken along the line 3—3 in FIG. 2;
 FIG. 4 is a rear view of the embodiment of FIG. 1;
 FIG. 5 is a right-side view of the embodiment of FIG. 1, the left-side view being a mirror image thereof;
 FIG. 6 is a top-plan view of the embodiment of FIG. 1;
 FIG. 7 is a bottom-plan view of the embodiment of FIG. 1;
 FIG. 8 is a front view of a male member of the embodiment of FIG. 1;
 FIG. 9 is a rear view of the male member of FIG. 8;
 FIG. 10 is a right-side view of the male member of FIG. 8, the left-side view being a mirror image thereof;
 FIG. 11 is a top-plan view of the male member of FIG. 8;
 FIG. 12 is a bottom-plan view of the male member of FIG. 8;
 FIG. 13 is a front-elevational view of a female member of the embodiment of FIG. 1;
 FIG. 14 is a rear view of the female member of FIG. 13;
 FIG. 15 is a right-side view of the female member of FIG. 13, the left-side view being a mirror image thereof;
 FIG. 16 is a top-plan view of FIG. 13; and,
 FIG. 17 is a bottom-plan view of FIG. 13.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17