



US00D510437S

(12) **United States Design Patent**  
**Lang et al.**

(10) **Patent No.:** **US D510,437 S**  
(45) **Date of Patent:** **\*\* Oct. 4, 2005**

(54) **PORTABLE LIQUID OXYGEN CONTAINER**  
(75) Inventors: **Michael Lang**, Walnut Creek, CA (US);  
**Michael Shin**, Pleasanton, CA (US)

D437,056 S 1/2001 Remes et al.  
D471,982 S \* 3/2003 Cheng ..... D24/164  
6,575,159 B1 \* 6/2003 Frye et al. .... 128/201.21  
6,691,702 B2 \* 2/2004 Appel et al. .... 128/202.26  
6,742,517 B1 \* 6/2004 Frye et al. .... 128/201.21

(73) Assignee: **Mallinckrodt, Inc.**, St. Louis, MO (US)  
(\*\*) Term: **14 Years**

\* cited by examiner

(21) Appl. No.: **29/180,266**

*Primary Examiner*—Ian Simmons

*Assistant Examiner*—Daniel Yu

(22) Filed: **Apr. 22, 2003**

(74) *Attorney, Agent, or Firm*—Rothwell, Figg, Ernst & Manbeck, PC

(51) **LOC (8) Cl.** ..... **24-04**

(57) **CLAIM**

(52) **U.S. Cl.** ..... **D24/164**

The ornamental design for a portable liquid oxygen container, as shown and described.

(58) **Field of Search** ..... D24/164, 165,  
D24/129, 128; 128/204.18, 205.24, 205.25,  
205.12; 96/116, 117, 130, 144, 8, 96

**DESCRIPTION**


(56) **References Cited**

FIG. 1 is a left elevational view of the invention.  
FIG. 2 is a front elevational view of the invention.  
FIG. 3 is a right elevational view of the invention.  
FIG. 4 is a rear elevational view of the invention.  
FIG. 5 is a perspective view of the invention.  
FIG. 6 is a top plan view of the invention; and,  
FIG. 7 is a bottom plan view of the invention.

**U.S. PATENT DOCUMENTS**

3,672,129 A 6/1972 Strople et al.  
4,409,978 A 10/1983 Bartos  
4,788,973 A 12/1988 Kirchgeorg et al.  
D329,288 S 9/1992 Miller et al.  
D412,577 S 8/1999 Mickelson et al.  
D436,401 S 1/2001 Remes et al.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 6




FIG. 3




FIG. 4




FIG. 7




FIG. 5