



US00D510519S

(12) **United States Design Patent**
Katayama et al.

(10) **Patent No.:** **US D510,519 S**
(45) **Date of Patent:** **** Oct. 11, 2005**

- (54) **CONTAINER FOR TEST SUBSTANCE**
- (75) Inventors: **Hideo Katayama**, Tsukuba (JP);
Megumi Akamatsu, Tsukuba (JP)
- (73) Assignee: **Daikin Industries Ltd.**, Osaka (JP)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/212,009**
- (22) Filed: **Aug. 26, 2004**
- (51) **LOC (8) Cl.** **09-97**
- (52) **U.S. Cl.** **D9/418; D9/415; D9/432**
- (58) **Field of Search** **D9/414, 415, 418,**
D9/432; D3/203; 206/736, 569, 751-755,
363, 367, 828; 229/162.6, 162.1

- D373,080 S * 8/1996 Prosperi et al. D9/418
- 6,264,619 B1 * 7/2001 Ferguson 600/573
- D446,114 S * 8/2001 Stephens D9/418
- D447,685 S * 9/2001 Chagnon et al. D9/416

* cited by examiner

Primary Examiner—Prabhakar Deshmukh
(74) *Attorney, Agent, or Firm*—Manabu Kanesaka

(57) **CLAIM**

The ornamental design for a container for test substance, as shown and described.

DESCRIPTION


FIG. 1 is a front view of a container for test substance showing our new design;
 FIG. 2 is a rear view thereof;
 FIG. 3 is a plan view thereof;
 FIG. 4 is a bottom view thereof;
 FIG. 5 is a right side view thereof;
 FIG. 6 is a left side view thereof;
 FIG. 7 is a sectional view thereof taken along line 7—7 in FIG. 1; and,
 FIG. 8 is a perspective thereof.


(56) **References Cited**

U.S. PATENT DOCUMENTS

- 1,290,386 A * 1/1919 Smith 229/162.3
- 3,121,511 A * 2/1964 Whitehead 221/283
- 3,168,952 A * 2/1965 Palmer 206/526
- 4,186,866 A * 2/1980 Zicko 229/221
- 4,717,018 A * 1/1988 Sacherer et al. 206/305
- 5,143,210 A * 9/1992 Warwick et al. 206/738

1 Claim, 2 Drawing Sheets





→7
Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8