



US00D510560S

(12) **United States Design Patent** (10) **Patent No.:** **US D510,560 S**
Tsumiyama et al. (45) **Date of Patent:** **** Oct. 11, 2005**

(54) **REVERSE BUCKET FOR A PERSONAL WATERCRAFT**

(75) Inventors: **Yoshinori Tsumiyama, Miki (JP); Yoshiyuki Kuroyanagi, Akashi (JP)**

(73) Assignee: **Kawasaki Jukogyo Kabushiki Kaisha, Kobe (JP)**

(**) Term: **14 Years**

(21) Appl. No.: **29/203,462**

(22) Filed: **Apr. 13, 2004**

(30) **Foreign Application Priority Data**

Oct. 30, 2003 (JP) 2003-032070

(51) **LOC (8) Cl.** **12-06**

(52) **U.S. Cl.** **D12/317**

(58) **Field of Search** D12/300, 317; 114/55.51-55.58, 288, 55.5; 440/41

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,752,864	A *	5/1998	Jones et al.	440/41
5,934,954	A *	8/1999	Schott et al.	440/41
6,267,633	B1 *	7/2001	Suganuma	440/41
6,533,623	B2 *	3/2003	Simard et al.	440/41
6,547,611	B1 *	4/2003	Boroos et al.	440/41
6,729,918	B2 *	5/2004	Fuse et al.	440/41
2003/0100231	A1 *	5/2003	Yanagihara	440/41

FOREIGN PATENT DOCUMENTS

JP 2000-190895 7/2000

* cited by examiner

Primary Examiner—Holly Baynham
Assistant Examiner—Cynthia M. Chin
(74) *Attorney, Agent, or Firm*—Alleman Hall McCoy; Russell & Tuttle LLP

(57) **CLAIM**

The ornamental design for a reverse bucket for a personal watercraft, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a reverse bucket for a personal watercraft, according to one embodiment of the present invention.

FIG. 2 is a rear view of the reverse bucket of FIG. 1.

FIG. 3 is a top view of the reverse bucket of FIG. 1.

FIG. 4 is a bottom view of the reverse bucket of FIG. 1.

FIG. 5 is a left side view of the reverse bucket of FIG. 1. The right side view is symmetrical to the left side view, and is shown in FIGS. 10-11, installed on a personal watercraft.

FIG. 6 is a cross-sectional view of the reverse bucket, taken along line 6-6 of FIG. 1.

FIG. 7 is a cross-sectional view of the reverse bucket, taken along line 7-7 of FIG. 5.

FIG. 8 is a cross-sectional view of the reverse bucket, taken along line 8-8 of FIG. 5.


FIG. 9 is a perspective view of the reverse bucket of FIG. 1, from an upper left rear side perspective.

FIG. 10 is a reduced scale, environmental view of the reverse bucket of FIG. 1; and,

FIG. 11 is an enlarged, right side view of the reverse bucket of FIG. 1.

The dot-dash broken lines show a lowered configuration of the reverse bucket, and the remaining broken lines show environment. The broken lines form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4





FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11