

US00D510628S

(12) **United States Design Patent** (10) **Patent No.:** **US D510,628 S**
Talbot et al. (45) **Date of Patent:** **** Oct. 11, 2005**

(54) **STIMULATION DEVICE**

(75) Inventors: **Nicholas Charles Talbot**, London
(GB); **Jeremy Steven White**, London
(GB)

(73) Assignee: **LRC Products Limited**, London (GB)

(**) Term: **14 Years**

(21) Appl. No.: **29/198,077**

(22) Filed: **Jan. 23, 2004**

(30) **Foreign Application Priority Data**

Jul. 25, 2003 (GB) 3013818

(51) **LOC (8) Cl.** **28-03**

(52) **U.S. Cl.** **D24/215**; D24/214

(58) **Field of Search** D12/215, 214,
D12/200, 211; 601/46, 48, 101, 87, 84,
80, 70, 67

(56) **References Cited**

U.S. PATENT DOCUMENTS

D40,158 S * 7/1909 Apfel D24/214
D371,442 S * 7/1996 Semyonova D24/214
D463,862 S * 10/2002 Lau D24/215

2002/0133102 A1 * 9/2002 Quan 601/46

* cited by examiner

Primary Examiner—Ian Simmons

(74) *Attorney, Agent, or Firm*—Stinson Morrison Hecker
LLP

(57) **CLAIM**

The ornamental design for a stimulation device, as shown
and described.

DESCRIPTION

FIG. 1 is a perspective view of the stimulation device in
accordance with the design of the present invention;

FIG. 2 is a front end elevational view of the stimulation
device of FIG. 1;

FIG. 3 is a rear end elevational view of the stimulation
device of FIG. 1;


FIG. 4 is an elevational view from one side of the stimula-
tion device of FIG. 1;

FIG. 5 is an elevational view from the other side of the
stimulation device of FIG. 1;

FIG. 6 is a top plan view of the stimulation device of FIG.
1; and,

FIG. 7 is a bottom plan view of the stimulation device of
FIG. 1.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7