



US00D510885S

(12) **United States Design Patent** (10) **Patent No.:** **US D510,885 S**
Dueker et al. (45) **Date of Patent:** **** Oct. 25, 2005**

(54) **ILLUMINATED SIGNALING DEVICE**
 (75) Inventors: **Kenneth S. Dueker**, Atherton, CA
 (US); **Paul M. Hagelin**, Saratoga, CA
 (US); **Troy J. Edwards**, Campbell, CA
 (US); **Russell E. Tavernetti**, San
 Carlos, CA (US)

(73) Assignee: **PowerFire Corporation**, Menlo Park,
 CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/190,130**

(22) Filed: **Sep. 15, 2003**

(51) **LOC (8) Cl.** **10-05**

(52) **U.S. Cl.** **D10/114**

(58) **Field of Search** D26/74, 61, 60,
 D26/40, 39, 38, 37, 28; D22/137; D13/154;
 D10/62, 121, 115, 114, 113, 111, 109, 104;
 D32/21; D8/359, 358; 362/364, 158, 157,
 108, 103; 242/608, 600, 381.6

(56) **References Cited**

U.S. PATENT DOCUMENTS

- | | | | | | |
|-------------|---|---------|----------------|-------|------------|
| D25,881 S | * | 8/1896 | Mundell | | D10/121 |
| 1,087,574 A | * | 2/1914 | Dawes | | 40/572 |
| 1,736,830 A | * | 11/1929 | McKee et al. | | 404/15 |
| D85,048 S | * | 9/1931 | Kirkland | | D10/111 |
| 1,959,671 A | * | 5/1934 | Handlan | | 246/473.3 |
| 2,296,005 A | * | 9/1942 | Weiner | | 40/555 |
| D212,752 S | * | 11/1968 | Jacqueman | | D22/137 |
| 3,448,259 A | * | 6/1969 | Nitsch et al. | | 362/326 |
| D243,746 S | * | 3/1977 | Youngblood | | D8/359 |
| D248,592 S | * | 7/1978 | Urbanek et al. | | D10/114 |
| 4,330,005 A | * | 5/1982 | Kjarsgaard | | 137/355.28 |

- | | | | | | |
|-------------|---|---------|----------------|-------|---------|
| D275,263 S | * | 8/1984 | Cutler | | D8/358 |
| D283,647 S | * | 4/1986 | Schumann | | D26/67 |
| D346,125 S | * | 4/1994 | Cote et al. | | D10/104 |
| D349,466 S | * | 8/1994 | Chang | | D10/114 |
| 5,779,344 A | * | 7/1998 | Tseng | | 362/459 |
| D448,651 S | * | 10/2001 | Kovacik et al. | | D8/358 |
| D476,879 S | * | 7/2003 | Chu | | D8/358 |
| D496,253 S | * | 9/2004 | Kovacik et al. | | D8/358 |

OTHER PUBLICATIONS

- “Trek® Disco Inferno Tail Light,” www.trekbikes.com, 1
 pg.
 Turboflare—Products and Technical Specifications, 3 pages.
 “More than Just a Road Marker Lanelight,” www.swarco.com, 1 page.
 “Low Profile Signal Head,” www.crosswalks.com, 1 pg.

* cited by examiner

Primary Examiner—Cathron Brooks
Assistant Examiner—Austin Murphy
 (74) *Attorney, Agent, or Firm*—Sawyer Law Group LLP


(57) **CLAIM**

The ornamental design for an illuminated signaling device,
 as shown.

DESCRIPTION

FIG. 1 is a front perspective view of the illuminated signaling device showing our new design.
 FIG. 2 is a top plan view of FIG. 1.
 FIG. 3 is a bottom plan view of FIG. 1.
 FIG. 4 is a front elevation view of FIG. 1.
 FIG. 5 is a back view of FIG. 1.
 FIG. 6 is a right view of FIG. 1; and,
 FIG. 7 is a left view of FIG. 1.

1 Claim, 3 Drawing Sheets






FIG.1

FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7

