

US00D511127S

(12) United States Design Patent (10) Patent No.:

US D511,127 S (45) Date of Patent: Nov. 1, 2005 **Elmitt**

SURFACE CONFIGURATION OF A SIDE (54)MIRROR FOR A VEHICLE

Inventor: Karl John Elmitt, Eching (DE)

Assignee: Bayerische Motoren Werke

Aktiengesellschaft, Munich (DE)

14 Years Term:

(21) Appl. No.: 29/211,978

Aug. 25, 2004 Filed:

(30)Foreign Application Priority Data

Feb.	26, 2004	(DE) .	••••••	404 01 347
(51)	LOC (8)	Cl	•••••	12-16
(52)	U.S. Cl.	• • • • • • • • • • • • • • • • • • • •	•••••	D12/187
(58)	Field of S	Search		D12/187-189;

359/838–851, 855–868, 871–881

(56)**References Cited**

U.S. PATENT DOCUMENTS

D307,570	S	*	5/1990	Swanson	D12/187
D410,421	\mathbf{S}	*	6/1999	Pfeiffer	D12/187
D445,386	S	*	7/2001	Sacco et al	D12/187
D453,721	\mathbf{S}	*	2/2002	Papke et al	D12/187
D463,342	\mathbf{S}	*	9/2002	Sinkwitz	D12/187
D463,766	S	*	10/2002	Murkett	D12/187
6,592,255	B 1	*	7/2003	Duroux et al	374/162
D484,837	S	*	1/2004	Liu	D12/187
D485,521	\mathbf{S}	*	1/2004	Kuo	D12/187
D500,274	\mathbf{S}	*	12/2004	Pfeiffer	D12/187

^{*} cited by examiner

Primary Examiner—Melody N. Brown

(74) Attorney, Agent, or Firm—Crowell & Moring LLP

(57)CLAIM

The ornamental design for a surface configuration of a side mirror for a vehicle, as shown and described.


DESCRIPTION


FIG. 1 is a front perspective view of a first embodiment of a surface configuration of a side mirror for a vehicle according to my novel design;


- FIG. 2 is a side perspective view of the first embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;
- FIG. 3 is a rear view of the first embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;
- FIG. 4 is a top view of the first embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;
- FIG. 5 is a bottom view of the first embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;
- FIG. 6 is a front view of the first embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;
- FIG. 7 is a side view of the first embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;
- FIG. 8 is a front perspective view of a second embodiment of a surface configuration of a side mirror for a vehicle according to my novel design;
- FIG. 9 is a side perspective view of the second embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;
- FIG. 10 is a rear view of the second embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;
- FIG. 11 is a top view of the second embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;
- FIG. 12 is a bottom view of the second embodiment of the surface configuration of a side mirror for a vehicle according to my novel design;
- FIG. 13 is a front view of the second embodiment of the surface configuration of a side mirror for a vehicle according to my novel design; and,
- FIG. 14 is a side view of the second embodiment of the surface configuration of a side mirror for a vehicle according to my novel design.

The broken lines are for illustrative purposes only and form no part of the claimed design. Also enclosed is a set of photographs of an embodiment of the design.

1 Claim, 8 Drawing Sheets











FIG. 3






FIG. 5




FIG. 6






FIG.7










FIG. 10








FIG. 13




FIG. 14