



US00D511157S

(12) **United States Design Patent**  
**Johnson**

(10) **Patent No.:** **US D511,157 S**  
(45) **Date of Patent:** **\*\* Nov. 1, 2005**

(54) **HEADPHONES WITH INTEGRATED  
REMOTE CONTROL**

D481,377 S \* 10/2003 Eguchi ..... D14/223  
D486,478 S \* 2/2004 Swan et al. .... D14/223

(75) Inventor: **Brad Matthew Johnson**, Raleigh, NC  
(US)

\* cited by examiner

*Primary Examiner*—Paula A. Greene

(74) *Attorney, Agent, or Firm*—James R. Nock

(73) Assignee: **International Business Machines  
Corporation**, Armonk, NY (US)

(57) **CLAIM**

(\*\*) Term: **14 Years**

The ornamental design of headphones with integrated remote control, as shown and described.

(21) Appl. No.: **29/216,254**

**DESCRIPTION**

(22) Filed: **Oct. 29, 2004**

(51) **LOC (8) Cl.** ..... **14-01**

(52) **U.S. Cl.** ..... **D14/223**

(58) **Field of Search** ..... D14/223, 205,  
D14/206, 240, 133, 142, 155, 242, 248,  
226, 423, 218; 181/129–130; 381/380,  
381, 367, 373, 375; 379/419, 420.04, 430,  
431; D24/174; 455/569.2


FIG. 1 is a perspective view of the headphone with integrated remote control showing my new design, the lanyard is drawn broken away for purposes of illustration;  
FIG. 2 is a front view of the headphone shown separately for purposes of illustration;  
FIG. 3 is a right view of the headphone portion thereof;  
FIG. 4 is a left view of the headphone portion thereof;  
FIG. 5 is a top view of the headphone portion thereof;  
FIG. 6 is a bottom view of the headphone portion thereof;  
FIG. 7 is a back view of the headphone portion thereof;  
FIG. 8 is a front view of the remote control portion shown separately for purposes of illustration;  
FIG. 9 is a back view of the remote control portion thereof;  
FIG. 10 is a right view of the remote control portion thereof;  
FIG. 11 is a left view of the remote control portion thereof;  
FIG. 12 is a top view of the remote control portion thereof;  
FIG. 13 is a bottom view of the remote control portion thereof; and,  
FIG. 14 is a perspective view of the sliding ball portion drawn separately for purposes of illustration.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D334,043 S \* 3/1993 Taniguchi et al. .... D14/218  
5,222,151 A \* 6/1993 Nagayoshi et al. .... 381/380  
5,642,402 A \* 6/1997 Vilmi et al. .... 455/569.2  
6,122,369 A \* 9/2000 Hwang et al. .... 379/420.04  
D463,790 S \* 10/2002 Beraut et al. .... D14/223  
D464,945 S \* 10/2002 Bosch ..... D14/206  
D465,472 S \* 11/2002 Bosch ..... D14/206  
D469,753 S \* 2/2003 Andre et al. .... D14/205  
D470,833 S \* 2/2003 Rath et al. .... D14/205  
D475,996 S \* 6/2003 Skulley ..... D14/240

**1 Claim, 14 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7






Fig. 8




Fig. 9



Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14