

US00D511278S

(12) **United States Design Patent**
Carfagnini

(10) **Patent No.:** **US D511,278 S**

(45) **Date of Patent:** **** Nov. 8, 2005**

(54) **GRABBER**

(75) Inventor: **Cristoforo G. Carfagnini**, Toronto
(CA)

(73) Assignee: **Cristoforo Guido Carfagnini**, Toronto
(CA)

(**) Term: **14 Years**

(21) Appl. No.: **29/182,081**

(22) Filed: **Aug. 1, 2003**

(51) **LOC (8) Cl.** **08-05**

(52) **U.S. Cl.** **D8/19**

(58) **Field of Search** D8/9, 14, 16, 19;
D32/14, 35; 15/104.001, 104.05, 104.068,
104.07, 104.16, 104.31, 104.32, 104.33;
294/19.1

(56) **References Cited**

U.S. PATENT DOCUMENTS

507,435	A	*	10/1893	Helfensteller, Jr.	15/104.33
793,469	A	*	6/1905	Sachs	15/104.16
834,135	A	*	10/1906	Hymes	15/104.33
D59,382	S	*	10/1921	Shirley	D32/14
1,886,676	A	*	11/1932	Heuacker	4/292
D354,206	S	*	1/1995	Kunzle	D8/9
5,836,032	A	*	11/1998	Hondo	15/104.32

D435,944 S * 1/2001 Luoma D32/14
6,775,873 B2 * 8/2004 Luoma 15/104.33
2003/0056810 A1 * 3/2003 Petit 134/8

* cited by examiner

Primary Examiner—Jeffrey Asch
Assistant Examiner—Elizabeth Albert

(57) **CLAIM**

The ornamental design for a grabber as shown and described.

DESCRIPTION

The design consists of a long thin flexible strip with jagged edges at one end, and a ring-shaped handle at the other end as shown in the drawings. The jagged edged tip of the article is the most significant feature because it directly contributes to the efficiency of the device.

FIG. 1 is a front and side isometric view of the grabber showing my new design;

FIG. 2 is a front plan view of FIG. 1;

FIG. 3 is a left side elevation view of FIG. 1;


FIG. 4 is a rear plan view of FIG. 1;


FIG. 5 is a right side elevation view of FIG. 1;

FIG. 6 is a top elevation view of FIG. 1 from end with looped handle; and

FIG. 7 is a bottom elevation view of FIG. 1 from jagged end.

1 Claim, 2 Drawing Sheets











FIG.6



FIG.7

