



US00D511317S

(12) **United States Design Patent**
Tanaka et al.

(10) **Patent No.:** **US D511,317 S**

(45) **Date of Patent:** **** Nov. 8, 2005**

(54) **TRUCK**

(75) **Inventors:** **Shunji Tanaka**, Kobe (JP); **Seiichi Ino**,
Kakogawa (JP); **Naoki Hashimoto**,
Kakogawa (JP)

(73) **Assignee:** **Kawasaki Jukogyo Kabushiki Kaisha**,
Kobe (JP)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/206,413**

(22) **Filed:** **May 27, 2004**

(30) **Foreign Application Priority Data**

Nov. 28, 2003 (JP) 2003-035400

(51) **LOC (8) Cl.** **12-14**

(52) **U.S. Cl.** **D12/1**

(58) **Field of Search** D12/1, 14-16,
D12/82, 86-93; 296/28, 37.7, 184-186;
180/908; 280/DIG. 5; D21/803; D15/28,
30

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,749,211 A * 6/1988 Kosuge 280/779

D342,701 S * 12/1993 Murata et al. D12/107
D364,590 S * 11/1995 Yamashita D12/15
D422,938 S * 4/2000 Molzon et al. D12/1
D427,109 S * 6/2000 Molzon et al. D12/1
D439,548 S * 3/2001 Kouchi et al. D12/1
6,523,879 B2 * 2/2003 Mizuta 296/71
D494,890 S * 8/2004 Katoh D12/14

* cited by examiner

Primary Examiner—Nelson C. Holtje

(74) *Attorney, Agent, or Firm*—Alleman Hall McCoy
Russell & Tuttle LLP

(57) **CLAIM**

The ornamental design for a truck, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a truck according to an embodiment
of the present invention.

FIG. 2 is a rear view of the truck of FIG. 1.

FIG. 3 is a top view of the truck of FIG. 1.


FIG. 4 is a bottom view of the truck of FIG. 1.

FIG. 5 is a left side view of the truck of FIG. 1; and,

FIG. 6 is a right side view of the truck of FIG. 1.

The broken lines show environment and form no part of the
claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6