



US00D511467S

(12) **United States Design Patent**
Sanoner

(10) **Patent No.:** **US D511,467 S**

(45) **Date of Patent:** **** Nov. 15, 2005**

(54) **DISTANCE MEASURING DEVICE**

(75) **Inventor:** **Hughes Marie Sanoner, Tsuen Wan (HK)**

(73) **Assignee:** **Solar Wide Industrial Ltd., Hong Kong (CN)**

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/207,390**

(22) **Filed:** **Jun. 14, 2004**

(30) **Foreign Application Priority Data**

Dec. 23, 2003 (EM) 116520

(51) **LOC (8) Cl.** **10-04**

(52) **U.S. Cl.** **D10/70**

(58) **Field of Search** D10/70; 33/1 C;
73/290 V; 342/118; 356/3.01, 4.01, 5.1,
5.15, 147

(56) **References Cited**

U.S. PATENT DOCUMENTS

D312,050 S * 11/1990 Singleton D10/70

6,137,564 A * 10/2000 Schmidt et al. 356/4.01
D460,367 S * 7/2002 Apotheloz et al. D10/70
D460,368 S * 7/2002 Apotheloz et al. D10/70
D472,826 S * 4/2003 Sanoner D10/70
6,813,585 B2 * 11/2004 Leutz et al. 356/3.01

* cited by examiner

Primary Examiner—Antoine D. Davis

(74) *Attorney, Agent, or Firm*—Alix, Yale & Ristas, LLP


(57) **CLAIM**

The ornamental design for distance measuring device, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a distance measuring device showing my new design, FIG. 2 is a top plan view thereof; FIG. 3 is a bottom plan view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a front elevational view thereof; and, FIG. 7 is a rear elevational view thereof.

1 Claim, 3 Drawing Sheets






FIG. 2




FIG. 3




FIG. 1




FIG. 4




FIG. 5




FIG. 6




FIG. 7