



US00D511486S

(12) **United States Design Patent** (10) **Patent No.:** **US D511,486 S**  
**Nagashima** (45) **Date of Patent:** **\*\* Nov. 15, 2005**

(54) **SURFACE CONFIGURATION OF A FRONT FENDER FOR A VEHICLE**

(75) Inventor: **Joji Nagashima**, Munich (DE)

(73) Assignee: **Bayerische Motoren Werke Aktiengesellschaft**, Munich (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/217,912**

(22) Filed: **Nov. 24, 2004**

(30) **Foreign Application Priority Data**

May 27, 2004 (DE) ..... 40403323

(51) **LOC (8) Cl.** ..... **12-16**

(52) **U.S. Cl.** ..... **D12/196**

(58) **Field of Search** ..... D12/196, 184,  
D12/90-92; 296/185; 280/152.1, 847, 849,  
851

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D440,196 S	*	4/2001	Pfeiffer	.....	D12/196
D453,315 S	*	2/2002	Sacco et al.	.....	D12/196
D459,686 S	*	7/2002	Sinkwitz	.....	D12/196
D467,853 S	*	12/2002	Warming	.....	D12/196
D469,045 S	*	1/2003	Murkett	.....	D12/196
D479,171 S	*	9/2003	Boyer	.....	D12/196
D482,990 S	*	12/2003	Sims et al.	.....	D12/91
D491,856 S	*	6/2004	Velazco	.....	D12/196

\* cited by examiner

*Primary Examiner*—Melody N. Brown  
(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(57) **CLAIM**

The ornamental design for a surface configuration of a front fender for a vehicle, as shown and described.

**DESCRIPTION**

This application is related to co-pending Application Ser. No. 29/217,910, of the inventor, filed on even date herewith and entitled "Surface Configuration of A Vehicle, Toy And/ Or Other Replicas".

FIG. 1 is a perspective view of a first embodiment of a surface configuration of a front fender for a vehicle according to my novel design;

FIG. 2 is a front view of the first embodiment of the surface configuration of a front fender for a vehicle according to my novel design;

FIG. 3 is a top view of the first embodiment of the surface configuration of a front fender for a vehicle according to my novel design;

FIG. 4 is a side view of the first embodiment of the surface configuration of a front fender for a vehicle according to my novel design;

FIG. 5 is a perspective view of the first embodiment of the surface configuration of a front fender for a vehicle according to my novel design;

FIG. 6 is a perspective view of a second embodiment of the surface configuration of a front fender for a vehicle according to my novel design;

FIG. 7 is a front view of the second embodiment of the surface configuration of a front fender for a vehicle according to my novel design;


FIG. 8 is a top view of the second embodiment of the surface configuration of a front fender for a vehicle according to my novel design;

FIG. 9 is a perspective view of the second embodiment of the surface configuration of a front fender for a vehicle according to my novel design; and,

FIG. 10 is a side view of the second embodiment of the surface configuration of a front fender for a vehicle according to my novel design.

The broken lines are for illustrative purposes only and form no part of the claimed design. Enclosed is a set of photographs of an embodiment of the invention.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10