



US00D511510S

(12) **United States Design Patent** (10) **Patent No.:** **US D511,510 S**
Beasley et al. (45) **Date of Patent:** **** Nov. 15, 2005**

(54) **CORDLESS TELEPHONE BASE**
 (75) Inventors: **Jeffrey R. Beasley**, Suwanee, GA (US);
Christopher G. Franck, Decatur, GA
 (US); **Matthew M. Julian**, Sunrise, FL
 (US)

6,154,666 A * 11/2000 Patterson et al. 455/575.1
 D456,795 S * 5/2002 Hughes et al. D14/149
 D457,870 S * 5/2002 Toyoshima et al. D14/150
 D472,538 S * 4/2003 Chan D14/149
 D489,048 S * 4/2004 Robertson et al. D14/149
 D489,348 S * 5/2004 Robertson et al. D14/151
 D495,312 S * 8/2004 Fitzgerald D14/147

(73) Assignee: **General Instrument Corporation**,
 Horsham, PA (US)

FOREIGN PATENT DOCUMENTS

(**) Term: **14 Years**

WO DM/050606 * 11/1999
 WO DM/064090 * 3/2002
 WO DM/060792 * 6/2002

(21) Appl. No.: **29/210,302**

* cited by examiner

(22) Filed: **Jul. 29, 2004**

Primary Examiner—Jeffrey Asch

(51) **LOC (8) Cl.** **14-03**

(74) *Attorney, Agent, or Firm*—Esteban A. Rockett

(52) **U.S. Cl.** **D14/149; D13/108**

(57) **CLAIM**

(58) **Field of Search** D14/149–151,
 D14/147–148, 251–253, 144, 143, 130,
 329, 330, 434, 140, 142; 379/419, 428.01–428.04,
 440; D13/107, 108; D21/517

The ornamental design for a cordless telephone base, as shown and described.

DESCRIPTION

(56) **References Cited**


U.S. PATENT DOCUMENTS

D302,689 S * 8/1989 Murakami et al. D14/138
 4,979,205 A * 12/1990 Haraguchi et al. 455/411
 D317,449 S * 6/1991 Kanatani et al. D14/138
 D322,436 S * 12/1991 Myoga D14/138
 D329,221 S * 9/1992 Khoo D13/107
 D347,633 S * 6/1994 Keung D14/151
 D348,668 S * 7/1994 Taylor D14/149
 D349,899 S * 8/1994 Siddoway et al. D14/151
 D358,813 S * 5/1995 Hellier et al. D14/149
 D381,656 S * 7/1997 Biskup et al. D14/149
 D385,558 S * 10/1997 Liu D14/148
 D389,479 S * 1/1998 Dijkstra D14/151
 5,908,233 A * 6/1999 Heskett et al. 362/183
 5,952,814 A * 9/1999 Van Lerberghe 320/108
 D415,153 S * 10/1999 Fitzgerald D14/150
 6,014,011 A * 1/2000 DeFelice et al. 320/114
 6,108,568 A * 8/2000 Lebrun et al. 455/573

FIG. 1 is a front perspective view of a cordless telephone base in accordance with the present invention;
 FIG. 2 is a top view of the cordless telephone base of FIG. 1;
 FIG. 3 is a bottom view of the cordless telephone base of FIG. 1;
 FIG. 4 is a left side view of the cordless telephone base of FIG. 1;
 FIG. 5 is a right side view of the cordless telephone base of FIG. 1;
 FIG. 6 is a front view of the cordless telephone base of FIG. 1; and,
 FIG. 7 is a back view of the cordless telephone base of FIG. 1.

The portions drawn in broken lines are shown for illustrative purposes only and do not form part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7