



US00D511959S

(12) **United States Design Patent** (10) **Patent No.:** **US D511,959 S**
Roychowdhury (45) **Date of Patent:** **** Nov. 29, 2005**

(54) **SWITCHPLATE**

(75) Inventor: **Ranobir Roychowdhury**, Cherry Hill, NJ (US)

(73) Assignee: **Brass Elegans Inc.**, Cherry Hill, NJ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/206,966**

(22) Filed: **Jun. 7, 2004**

(51) **LOC (8) Cl.** **11-05**

(52) **U.S. Cl.** **D8/351**

(58) **Field of Search** D8/350-353; D10/123, D10/108, 125; D13/171, 169, 158, 174; 174/66, 67

D284,261 S 6/1986 Sorenson
D290,338 S 6/1987 Tegner
D297,396 S 8/1988 Schwalbe
D298,028 S 10/1988 Mizobata
D301,336 S 5/1989 Copeland
D301,872 S 6/1989 Copeland
D311,371 S 10/1990 Jacoby
D314,184 S 1/1991 Mongeau
D314,556 S 2/1991 Aggson
D315,546 S 3/1991 Mongeau
D316,250 S 4/1991 Mongeau
D343,642 S 1/1994 Ho
D346,363 S 4/1994 Tuao
D346,949 S 5/1994 Comerci et al.
D348,797 S 7/1994 Brady
D351,376 S 10/1994 Hughes
D355,643 S 2/1995 Warnock et al.

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D16,015 S * 3/1885 Niles D8/302
D69,811 S * 4/1926 Auld D8/350
D70,108 S * 5/1926 Gottlicher D8/350
D75,982 S * 8/1928 Punke D8/350
D76,926 S * 11/1928 Geloso D14/257
D79,926 S * 11/1929 Grier D8/353
D84,203 S * 5/1931 Pickard D8/351
D92,326 S * 5/1934 Steele et al. D8/353
D107,642 S * 12/1937 Fazekas D8/353
D243,653 S * 3/1977 Fine D8/353
D243,918 S 4/1977 Creamer
D243,921 S 4/1977 Creamer
D243,922 S 4/1977 Grieb
D244,082 S 4/1977 Creamer
D246,571 S 12/1977 Grieb
D260,233 S 8/1981 Goldstein et al.
D262,261 S 12/1981 Schumacher et al.
D264,425 S 5/1982 Nippel et al.
D265,457 S 7/1982 Littlefield
D265,883 S 8/1982 Littlefield
D276,976 S 1/1985 Tegner
D280,485 S 9/1985 M'Sadoques et al.
D282,524 S 2/1986 Armitage
D283,298 S 4/1986 Turpin

Primary Examiner—Stella Reid
Assistant Examiner—Mark A. Goodwin
(74) *Attorney, Agent, or Firm*—Caesar, Rivise, Bernstein, Chen & Pokotilow, Ltd.


(57) **CLAIM**

The ornamental design for a switchplate, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a switchplate showing my new design.
FIG. 2 is an end view thereof;
FIG. 3 is a side view thereof;
FIG. 4 is a front view of a second embodiment of a switchplate showing my new design.
FIG. 5 is an end view thereof;
FIG. 6 is a side view thereof;
FIG. 7 is a front view of a third embodiment of a switchplate showing my new design.
FIG. 8 is an end view thereof; and,
FIG. 9 is a side view thereof.
The broken lines shown in FIGS. 1-9 are for illustrative purposes only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets



US D511,959 S

Page 2

U.S. PATENT DOCUMENTS

D360,876 S	8/1995	Hughes	D429,994 S	8/2000	Ziegler
D387,330 S	12/1997	Danchulis	D430,114 S	8/2000	Bachschmid et al.
D399,495 S	10/1998	Bachschmid	D440,949 S	4/2001	Hadley
D402,271 S	12/1998	Weinberg	D455,406 S	4/2002	Pinchuk
D402,272 S	12/1998	Mezey	D461,113 S	8/2002	Aubert Capella
D405,347 S	2/1999	Mezey	D461,114 S	8/2002	Aubert Capella
D407,072 S	3/1999	Gaule	D461,393 S	8/2002	Aubert Capella
D408,018 S	4/1999	McNaughton	D465,144 S	11/2002	Lai
D412,886 S	8/1999	Doran	D476,628 S	7/2003	Millar
D415,472 S	10/1999	Kelso et al.	D491,603 S	6/2004	Warkentin
D427,086 S	6/2000	Gaule			

* cited by examiner



FIG. 3




FIG. 1




FIG. 2




FIG. 6




FIG. 4



FIG. 5




FIG. 7



FIG. 9




FIG. 8