

US00D512146S

(12) **United States Design Patent** (10) **Patent No.:** **US D512,146 S**
Phipps et al. (45) **Date of Patent:** **** Nov. 29, 2005**

(54) **TAMPON APPLICATOR BARREL**

(75) Inventors: **Troy Phipps**, Brooklyn, NY (US);
Susanne Weber, New York, NY (US)

(73) Assignee: **Playtex Products, Inc.**, Westport, CT (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/201,351**

(22) Filed: **Mar. 12, 2004**

(51) **LOC (8) Cl.** **24-02**

(52) **U.S. Cl.** **D24/141**

(58) **Field of Search** D24/141, 135,
D24/130; 604/15, 902, 18, 17, 11, 16, 39,
41, 57, 59; 606/191

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,628,533	A	12/1971	Loyer		128/263
D250,663	S	12/1978	Koch et al.		D24/141
4,508,531	A	4/1985	Whitehead		604/14
4,536,178	A	8/1985	Lichstein et al.		604/15
D415,565	S	* 10/1999	Hayes et al.		D24/141
D492,033	S	* 6/2004	Jarmon et al.		D24/141
2004/0054317	A1	* 3/2004	Lemay et al.		604/15
2005/0015041	A1	* 1/2005	Karapasha		604/11

* cited by examiner

Primary Examiner—Ian Simmons

(74) *Attorney, Agent, or Firm*—Ohlandt, Greeley, Ruggiero & Perle, L.L.P.

(57) **CLAIM**

The ornamental design for a tampon applicator barrel, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a tampon applicator barrel according to the present invention;

FIG. 2 is a rear perspective view of a tampon applicator barrel according to FIG. 1;

FIG. 3 is a top view of the tampon applicator barrel of FIG. 1;


FIG. 4 is the tampon applicator barrel of FIG. 3 rotated by 90 degrees about a longitudinal axis of the tampon applicator barrel;

FIG. 5 is a front end view of the tampon applicator barrel of FIG. 1; and,

FIG. 6 is a rear end view of the tampon applicator barrel of FIG. 1.

The broken line showing is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 3





FIG. 4






FIG. 5




FIG. 6