



US00D512307S

(12) **United States Design Patent**
Ahrens

(10) **Patent No.:** **US D512,307 S**
(45) **Date of Patent:** **** Dec. 6, 2005**

(54) **DEVICE TO AID IN CARRYING OBJECTS WITH THIN, FLEXIBLE HANDLES**
(76) **Inventor:** **Henry E. Ahrens**, 7500 W. Lake Mead Blvd., #9-500, Las Vegas, NV (US) 89128

D403,161 S * 12/1998 Lin D3/318
D458,129 S * 6/2002 Foster D9/434
D463,124 S * 9/2002 Godshaw et al. D3/318
D469,015 S * 1/2003 Le Roux D9/455
D483,668 S * 12/2003 Le Roux D9/434

* cited by examiner

(**) **Term:** **14 Years**

Primary Examiner—Robert M. Spear
Assistant Examiner—Susan Bennett Hattan
(74) *Attorney, Agent, or Firm*—The Kline Law Firm

(21) **Appl. No.:** **29/197,835**

(22) **Filed:** **Jan. 20, 2004**

(57) **CLAIM**

(51) **LOC (8) Cl.** **09-07**

The ornamental design for a device to aid in carrying objects with thin, flexible handles, as shown and described.

(52) **U.S. Cl.** **D9/434; D9/455**

(58) **Field of Search** D9/499, 455, 443, D9/434, 435; D8/303, 315; D7/601, 393, 394, 395, 387; D3/318, 307, 327; 220/773, 755; 383/20, 13; 493/226; 215/399, 396, 395; 24/30.5 R

DESCRIPTION


FIG. 1 is a perspective view of the device to aid in carrying objects with thin, flexible handles of the present invention. FIG. 2 is a front view of the device. FIG. 3 is a rear view of the device. FIG. 4 is a right side view of the device. FIG. 5 is a left side view of the device. FIG. 6 is a top side view of the device; and, FIG. 7 is a bottom side view of the device.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,612,595 A * 10/1971 Updegraff et al. 215/396
D294,559 S * 3/1988 Schwalbach D9/434
4,772,059 A * 9/1988 Parry et al. 383/13
D361,665 S * 8/1995 Izumi D3/318

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7