



US00D512341S

(12) **United States Design Patent**  
**Larson**

(10) **Patent No.:** **US D512,341 S**  
(45) **Date of Patent:** **\*\* Dec. 6, 2005**

(54) **SURFACE CONFIGURATION OF A VEHICLE, TOY AND/OR OTHER REPLICAS**

(75) Inventor: **Grant Larson**, Ludwigsburg (DE)

(73) Assignee: **Dr. Ing. h.c.F. Porsche Aktiengesellschaft**, Stuttgart (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/210,443**

(22) Filed: **Aug. 2, 2004**

(30) **Foreign Application Priority Data**

Feb. 3, 2004 (DE) ..... 4 04 00 561

(51) **LOC (8) Cl.** ..... **12-08**

(52) **U.S. Cl.** ..... **D12/92**

(58) **Field of Search** ..... D12/90-92, 86, D12/88; D21/424, 433; 296/185

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D401,890 S	12/1998	Larson et al.	.....	D12/91
D417,414 S	* 12/1999	Mobius et al.	.....	D12/92
D436,061 S	* 1/2001	Mobius et al.	.....	D12/92
D438,145 S	* 2/2001	Hatter	.....	D12/92
D468,238 S	* 1/2003	Bhambra et al.	.....	D12/92

\* cited by examiner

*Primary Examiner*—Melody N. Brown

(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(57) **CLAIM**

The ornamental design for a surface configuration of a vehicle, toy and/or other replicas, as shown and described.

**DESCRIPTION**

This application is related to the following co-pending applications filed on even date herewith: Application Ser.

No. 29/210,440, entitled Surface Configuration of a Door Handle for a Vehicle; Application Ser. No. 29/210,442, entile Surface Configuration of a Side Mirror for a Vehicle; Application Ser. No. 29/210,444, entitled “Surface Configuration of a Vehicle, Toy and/or Other Replicas”; and Application Ser. No. 29/210,445, entitled “Surface Configuration of a Vehicle, Toy and/or Other Replicas”.

FIG. 1 is a right side view of a surface configuration of a vehicle, toy and/or other replicas according to my novel design, the left side view being mirror symmetrical;

FIG. 2 is a front view of the surface configuration of a vehicle, toy and/or other replicas according to my novel design;


FIG. 3 is a rear view of the surface configuration of a vehicle, toy and/or other replicas according to my novel design;

FIG. 4 is a top view of the surface configuration of a vehicle, toy and/or other replicas according to my novel design;

FIG. 5 is a front, right perspective view of the surface configuration of a vehicle, toy and/or other replicas according to my novel design, the front, left perspective view being mirror symmetrical; and,

FIG. 6 is a rear, right perspective view of the surface configuration of a vehicle, toy and/or other replicas according to my novel design, the rear, left perspective view being mirror symmetrical.

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6